




Converging  
Innovations  Expanding  
Solutions

# Price List

Effective from June 2023




❖ DIN Rail Mounted Terminal Blocks





since 1963

Converging  
Innovations  Expanding  
Solutions



**Solutions For  
Connectivity**




**Solutions For  
Solar Photovoltaic**



**Solutions For  
Metering & Protection**



**Solutions For  
Control & Instrumentation**



**Solutions For  
Railways**



**Solutions For  
Oil & Gas Industry**

# INDEX



PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
<b>DIN RAIL MOUNTED TERMINALS POLYAMIDE 6.6</b>			
<b>FEED THROUGH TERMINALS</b>			
KUTM2.5	6	KATM5	9
KUT2.5	6	KATM5C (Shrouded Version)	9
KUT4	6	KABTM3L (Screw & Nut Driver Operated)	9
KST4UWS (Spring Loaded)	6	KABTM3LC (Shrouded - Screw & Nut Driver Operated)	9
KUT6	6	KABTM4 (Screw & Nut Driver Operated)	9
KST6WS (Spring Loaded)	6	KABTM4C (Shrouded - Screw & Nut Driver Operated)	9
KUT10	6	KABTM5 (Screw & Nut Driver Operated)	9
KUT16	6	KABTM5C (Shrouded - Screw & Nut Driver Operated)	9
KUT25	6	KATM3E	9
KUT35	6	KATM4E	9
KUT50	6	<b>STUD TYPE TERMINALS (NUT DRIVER OPERATED)</b>	
KUT95	6	KBTM4	10
<b>MULTIPLE OUTPUT TERMINALS (KUT SERIES)</b>			
KUT4-1X2	6	KBTM4C (Shrouded Version)	10
KUT4-2X2	6	KBTM5-15	10
<b>SPRING LOADED TERMINALS</b>			
KULT4	7	KBTM5-15C (Shrouded Version)	10
KULT6	7	KBTM6	10
KULT1	7	KBTM6C (Shrouded Version)	10
<b>EARTH TERMINALS</b>			
ET4	7	KBTM4E	10
ET6	7	KBTM5E	10
ET10	7	KBTM6E	10
ET16	7	<b>STUD TYPE TERMINALS (HINGED TYPE)</b>	
ET35	7	OAT2.5	10
ET50	7	OAT6	10
<b>MULTI-LEVEL TERMINALS (DOUBLE DECK)</b>			
KU2D4	7	OAT25	10
KU2D4S (Internally Shorted)	7	<b>FUSE TERMINALS</b>	
KUDD4	7	KUDF4NV	11
<b>MULTI-LEVEL TERMINALS (TRIPLE DECK)</b>			
DU3D4	8	KUDF4AD (With LED Indication)	11
DUSD4	8	KUFH4	11
<b>THERMOCOUPLE TERMINALS</b>			
KUT4NTCK	8	KUFH4D (With LED Indication)	11
KUT4NTCJ	8	KUFH4A (With LED Indication)	11
KUT4NTCT	8	UBDF4	11
KUT4NTCE	8	UBDF4D (With LED Indication)	11
<b>PHOTOVOLTAIC (N SERIES)</b>			
KUT2.5N	8	UBDF4A (With LED Indication)	11
KUT4N	8	KUF10	11
KUT6N	8	KUF10D (With LED Indication)	11
KUT10N	8	KUF10A (With LED Indication)	11
KUDD4N	8	<b>FUSE FEED THROUGH TERMINALS</b>	
<b>EARTH TERMINALS (N SERIES)</b>			
ETN4	8	KUDDF4	11
ETN6	8	KUDDF4AD (With LED Indication)	11
ETN10	9	<b>DISCONNECTING TERMINALS (SLIDING LINK TYPE)</b>	
ETDD4N	9	KLTD4M4	12
<b>STUD TYPE TERMINALS (SCREW DRIVER OPERATED)</b>			
KATM3	9	KLTD4M4-2W	12
KATM3C (Shrouded Version)	9	KUTSD6	12
KATM4	9	KUTD10	12
KATM4C (Shrouded Version)	9	KULTD6 (Spring Loaded)	12
<b>DISCONNECTING TERMINALS (KNIFE EDGE TYPE)</b>			
KULTD4	12	OAT6T (Hinged Type)	12
KULTD4WS (Spring Loaded)	12	OAT6DTS (Hinged Type)	12
KUDT4-2X2	12	OAT6DTS-2W (Hinged Type)	12
KUDT6	12	OAT10DTS	12

# INDEX



PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
<b>PLUG &amp; SOCKET TERMINALS</b>		<b>COMPACT DISTRIBUTION BLOCKS</b>	
PS8M (2W to 12W)	13	DBD16	16
<b>POWER TERMINALS (PANEL MOUNTED)</b>		DBD35	16
PAT30	13	<b>COMPONENT HOUSING</b>	
PAT100	13	KPCH4	16
PAT150	13	KPCH6	16
PAT250	13	KUDD4CC1	16
<b>POWER TERMINALS</b>		KUDD4CC2	16
KBT100	13	KUDD4CA1	16
DPBB50	13	KUDD4CA2	16
DPBB50CN	13	KUDD4D1	16
DPBB70	13	KUDD4R	16
DPBB70CN	13	KUDD4MOV	16
DPBB120	13	CH4 / CH6	16
DPBB120CN	13	CH4D1 / CH6D1	16
DPBB185N	13	CH4R1 / CH6R1	16
DPBB240	14	CH4MOV1 / CH6MOV1	16
<b>POWER TERMINALS (SHROUDED)</b>		<b>MICRO TERMINALS</b>	
SPT35	14	SUT1.5	17
SPT70	14	SUT4	17
SPT95	14	CET4	17
SPT120	14	MBT4	17
SPT150	14	SET4	17
SPT185	14	PET4	17
SPT240	14	PBTM3	17
SPT300	14	PBTM4	17
<b>DISTRIBUTION BLOCKS</b>		<b>SPRING CLAMP TERMINALS (FEED THROUGH)</b>	
FDBK-1X2	14	DST2.5	17
FDBK-1X4	14	DST4	17
FDBK-1X8	14	DST6	17
FDBK3	14	DST10	17
FDBK4	14	DST16	18
FDBK5	14	DST35	18
FDBK6	14	DST2.5-1X2	18
FDBK8	14	DST2.5-2X2	18
DBK-1X2	15	DST4-1X2	18
DBK-1X4	15	DST4-2X2	18
DBK-1X8	15	DST6-1X2	18
DFBK12	15	DST10-1X2	18
DBK3	15	DST16-1X2	18
DBK4	15	DST2.5-2C1P	18
DBK5	15	DST2.5-2C2P	18
DBK6	15	DST2.5-2C1PP	18
DBK8	15	SCT2.5 (Side - Entry)	18
DBK150/16-1X2	15	SCT4 (Side - Entry)	18
DBK150/16-1X4	15	SCT6 (Side - Entry)	18
DBK150/16-1X8	15	SCT10 (Side - Entry)	18
DBK150/25-1X2	15	<b>SPRING CLAMP COMPONENT HOUSING TERMINALS</b>	
DBK150/25-1X4	15	DSDD2.5 CA1 / CC2	18
DBK150/25-1X8	15	<b>SPRING CLAMP MULTI-LEVEL TERMINALS</b>	
DBK150/M6C-1X2	15	DSDD2.5	19
DBK150/M6C-1X4	15	DSDDM2.5	19
DBK150/M6C-1X8	15	DS3L2.5	19
		DS8LP16	19



# INDEX







PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
DS8LP32	19	CST6	22
<b>SPRING CLAMP FUSE TERMINALS</b>		CST10	22
DCF4	19	CST16	22
DCF4D (With LED Indication)	19	CST25	22
DCF4A (With LED Indication)	19	CST35	22
SCF6	19	CST70	22
<b>SPRING CLAMP DISCONNECT TERMINALS</b>		CST185	22
DSDT2.5WOSL	19	<b>SPRING LOADED TERMINALS</b>	
DSDT2.5	19	CST2.5WS	22
DSDT2.5-2X2	19	CST6WS	22
DSCDT6	19	CSLT1	22
<b>SPRING CLAMP DISTRIBUTION BLOCKS</b>		<b>STUD TYPE TERMINALS (SCREW DRIVER OPERATED)</b>	
DTB35-10	19	CATM3	22
DTB35-10X4	19	CATM4	22
<b>SPRING CLAMP TERMINALS (EARTHING)</b>		CATM5	22
DSET2.5	20	<b>STUD TYPE TERMINALS (NUT DRIVER OPERATED)</b>	
DSET4	20	CBTM4	23
DSET6	20	CBTM5	23
DSET10	20	CBTM6	23
DSET2.5-1X2	20	CBTM6S1	23
DSET2.5-2X2	20	<b>STUD TYPE TERMINALS (SCREW &amp; NUT DRIVER OPERATED)</b>	
<b>SPRING CLAMP MICRO TERMINALS</b>		CABTM4	23
MCT2.5MC	20	<b>PLUG &amp; SOCKET TERMINALS</b>	
SCT2.5MC	20	PSC1/5	23
<b>SPRING CLAMP MICRO TERMINALS (PANEL MOUNTED)</b>		<b>TEST - DISCONNECT TERMINALS</b>	
MCT1.5	20	CATDM4	23
MCT2.5	20	CLTDM4	23
MCT2.5P4	20	CSTD6	23
MCT4	20	<b>POWER TERMINALS</b>	
MCT4P4	20	CBT100	23
<b>SPRING CLAMP MICRO TERMINALS (DIN RAIL MOUNTED)</b>		CBT110	23
DMCT2.5P4	20	CBT170	23
<b>PLUG &amp; SOCKET TERMINALS</b>		CBT250	23
DPSC5.08 (Wire to Wire)	21	CBT300	24
DPSC5.08 (Panel Mounted)	21	<b>POWER TERMINALS (WITH TAPPED CURRENT BAR)</b>	
DPSC7.50 (Wire to Wire)	21	CBT110T	24
DPSC7.50 (Panel Mounted)	21	CBT170T	24
<b>LIGHTING POLE TERMINALS</b>		CBT250T	24
LPT225	21	CBT300T	24
LPT235	21	<b>"C" SERIES FEED THROUGH TERMINALS (POLYAMIDE 6.6)</b>	
LPT325	21	CUTM2.5	24
LPT335	21	CUT4	24
<b>NEUTRAL LINKS</b>		CUT6	24
KNL4	21	CUT10	24
KNL16	21	<b>ACCESSORIES</b>	
KNL35	21	DIN RAIL & END CLAMPS	29
<b>PCB CONNECTORS</b>		MARKING LABELS & WARNING LABELS	30
PUT2.5	21	END PLATES	31-32
<b>DIN RAIL MOUNTED TERMINALS MELAMINE FEED THROUGH TERMINALS</b>		PARTITION PLATES	32
CST2.5	22	INTER CONNECTING ACCESSORIES	33-34
		PROTECTION COVERS	34



# Price List for DIN Rail Mounted Terminals : Polyamide 6.6







## Feed Through Terminals



KUTM2.5				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KUTM2.5	8.80	9.80	
	End Plate	KPNS	5.50	6.00	
	Shorting Link	CCLK2.5	13.00	-	
	Marker	LabelKN5	9.00	-	
					



KUT2.5				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KUT2.5	9.00	10.00	
	End Plate	KPNS	5.50	6.00	
	Shorting Link	CCLM2.5K	13.00	-	
	Marker	LabelKN5.5	8.50	-	
					



KUT4				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KUT4	11.40	12.50	
	End Plate	KPX	6.00	6.70	
	Shorting Link	CCLA2.5	14.00	-	
	Marker	LabelKN6.5	9.00	-	
					



KST4UWS (Spring Loaded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KST4UWS	On Request	On Request	
	End Plate	KPX	6.00	6.70	
	Shorting Link	CCLA2.5	14.00	-	
	Marker	LabelKN6.5	9.00	-	
					



KUT6				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm<sup>2</sup> Torque: 0.8 Nm</p>	Terminal	KUT6	16.10	18.00	
	End Plate	KPX	6.00	6.70	
	Shorting Link	CCLA6	16.00	-	
	Marker	LabelKN8	10.00	-	
					



KST6WS (Spring Loaded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 41 A Wire Size: 6 mm<sup>2</sup> Torque: 0.8 Nm</p>	Terminal	KST6WS	On Request	On Request	
	End Plate	KSP6WS	On Request	On Request	
	Shorting Link	CCLA6	16.00	-	
	Marker	LabelKN8	10.00	-	
					



KUT10				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	KUT10	20.50	23.00	
	End Plate	KPX	6.00	6.70	
	Shorting Link	CCLA10	17.50	-	
	Marker	LabelKN10	11.00	-	
					

KUT16				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 76 A Wire Size: 16 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	KUT16	36.20	40.00	
	End Plate	KPY	8.50	9.40	
	Shorting Link	CCLA16	19.50	-	
	Marker	LabelKN12	11.00 (5 labels)	-	
					



KUT25				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 101 A Wire Size: 25 mm<sup>2</sup> Torque: 2.3 Nm</p>	Terminal	KUT25	58.00	64.00	
	End Plate	KPT	8.50	9.40	
	Shorting Link	CCLA25	22.00	-	
	Marker	LabelKN12	11.00 (5 labels)	-	
					



KUT35				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 125 A Wire Size: 35 mm<sup>2</sup> Torque: 3 Nm</p>	Terminal	KUT35	79.00	87.00	
	End Plate	Not Required	-	-	
	Shorting Link	CCLA35K	26.00	-	
	Marker	LabelKN17	12.00 (5 labels)	-	
					

KUT50				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm<sup>2</sup> Torque: 8 Nm</p>	Terminal	KUT50	230.00	253.00	
	End Plate	Not Required	-	-	
	Shorting Link	CCLA50	150.00	-	
	Marker	LabelKN17	12.00 (5 labels)	-	
					

KUT95				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 232 A Wire Size: 95 mm<sup>2</sup> Torque: 20 Nm</p>	Terminal	KUT95	375.00	On Request	
	End Plate	Not Required	-	-	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN17	12.00 (5 labels)	-	
					


## Multiple Output Terminals (KUT Series)


KUT4-1X2				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KUT4-1X2	26.50	29.50	
	End Plate	KPM4	11.00	12.20	
	Shorting Link	CCLA4N	14.00	-	
	Marker	LabelKN5.5	8.50	-	
					


KUT4-2X2				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 4 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KUT4-2X2	37.00	41.00	
	End Plate	KPMD4	15.00	16.60	
	Shorting Link	CCLA4N	14.00	-	
	Marker	LabelKN5.5	8.50	-	
					

All Shorting Link Prices are for 2 Way Shorting.


## Spring Loaded Terminals


KULT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULT4	30.00	33.00
	Voltage: 1000 V	End Plate	KPSL	11.00	12.20
	Current: 32 A	Shorting Link	CCLAK4	15.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.5 Nm				


KULT1				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULT1	41.00	45.50
	Voltage: 1000 V	End Plate	KPSL	11.00	12.20
	Current: 57 A	Shorting Link	CCLA1LK	22.00	-
	Wire Size: 10 mm <sup>2</sup>	Marker	LabelKN10	11.00	-
	Torque: 1.2 Nm				


KULT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULT6	32.00	35.50
	Voltage: 1000 V	End Plate	KPSL	11.00	12.20
	Current: 41 A	Shorting Link	CCLAK6	17.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
	Torque: 1.4 Nm				


## Earth Terminals


ET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET4	69.50	-
	Wire Size: 4 mm <sup>2</sup>	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	8.50	-

ET10				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET10	103.00	-
	Wire Size: 10 mm <sup>2</sup>	End Plate	Not Required	-	-
	Torque: 1.2 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN10	11.00	-


ET35				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET35	250.00	-
	Wire Size: 35mm <sup>2</sup>	End Plate	Not Required	-	-
	Torque: 3 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN12	11.00 (5 labels)	-


ET6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET6	82.50	-
	Wire Size: 6 mm <sup>2</sup>	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN8	10.00	-


ET16				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET16	114.00	-
	Wire Size: 16 mm <sup>2</sup>	End Plate	Not Required	-	-
	Torque: 1.2 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN12	11.00 (5 labels)	-

ET50				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET50	600.00	-
	Wire Size: 50mm <sup>2</sup>	End Plate	Not Required	-	-
	Torque: 8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN17	12.00 (5 labels)	-

## Double Deck Terminals


KU2D4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KU2D4	29.00	32.00
	Voltage: 500 V	End Plate	EPDD4	11.00	12.20
	Current: 24 A	Shorting Link	CCLADD	13.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.4 Nm				


KUDD4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDD4	32.50	36.00
	Voltage: 500 V	End Plate	KPDD	11.00	12.20
	Current: 24 A	Shorting Link	CCLADD	13.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.4 Nm				

KU2D4S (Internally Shorted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KU2D4S	40.00	44.00
	Voltage: 500 V	End Plate	EPDD4	11.00	12.20
	Current: 24 A	Shorting Link	SLC4N	19.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.4 Nm				


All Shorting Link Prices are for 2 Way Shorting.

## Triple Deck Terminals


DU3D4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DU3D4	75.00	On Request
	Voltage: 500 V	End Plate	DP3D	15.00	On Request
	Current: 20 A	Shorting Link	CCLATD	15.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.5 Nm				


DUSD4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DUSD4	47.00	On Request
	Voltage: 500 V	End Plate	DPSD	11.00	On Request
	Current: 20 A	Shorting Link	CCLATD	15.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.5 Nm				


## Thermocouple Terminals


KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE					
		Type	Terminal	Std. Colour	Non Std. Colour
	IEC 60947-7-1	'K' Type	KUT4NTCK	75.00	On Request
	Voltage: 400 V	'J' Type	KUT4NTCJ	98.00	On Request
	Current: 5 A	'T' Type	KUT4NTCT	98.00	On Request
	Wire Size: 4 mm <sup>2</sup>	'E' Type	KUT4NTCE	98.00	On Request
	Torque: 0.5 Nm	End Plate	KPXN	7.50	8.30
		Marker	LabelKN12	11.00	-


## KUT-N Series (Photovoltaic Application)

KUT2.5N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT2.5N	11.00	12.20
	Voltage: 1000 V	End Plate	KPXN	7.50	8.30
	Current: 24 A	Shorting Link	CCLM2.5N	13.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5	9.00	-
	Torque: 0.4 Nm				


KUT4N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4N	13.10	14.50
	Voltage: 1000 V	End Plate	KPXN	7.50	8.30
	Current: 32 A	Shorting Link	CCLA4N	14.00	-
	Wire Size: 4mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.5 Nm				


KUT6N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT6N	17.00	19.00
	Voltage: 1000 V	End Plate	KPXN	7.50	8.30
	Current: 41 A	Shorting Link	CCLA6N	16.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
	Torque: 0.8 Nm				

KUT10N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT10N	22.50	25.00
	Voltage: 1000 V	End Plate	KPXN	7.50	8.30
	Current: 63 A	Shorting Link	CCLA10N	17.50	-
	Wire Size: 10mm <sup>2</sup>	Marker	LabelKN10	11.00	-
	Torque: 1.2 Nm				

KUDD4N				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDD4N	48.00	53.00
	Voltage: 630 V	End Plate	KPDDN	17.00	18.70
	Current: 28 A	Shorting Link	CCLADDN	17.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.5 Nm				


## Earth Terminals (N-Series)


ETN4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ETN4	72.00	-
	Wire Size: 4 mm <sup>2</sup>	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	8.50	-

ETN6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ETN6	85.00	-
	Wire Size: 6 mm <sup>2</sup>	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN8	10.00	-


# Price List for DIN Rail Mounted Terminals : Polyamide 6.6





ETN10		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-2 Wire Size: 10 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	ETN10	110.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	11.00	-


ETDD4N		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-2 Wire Size: 4 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	ETDD4N	120.00	-
	End Plate	KPDDN (Gr)	19.00	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN5.5	8.50	-


## Stud Type Terminals (Screw Driver Operated)


KATM3		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KATM3	34.00	37.50
	End Plate	KPS4	9.50	10.50
	Shorting Link	KSL3	24.00	-
	Marker	LabelKN6.5	9.00	-


KATM3C (Shrouded)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KATM3C	41.00	On Request
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN6.5	9.00	-


KATM4		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	KATM4	43.00	47.50
	End Plate	KPS4	9.50	10.50
	Shorting Link	KSL4	24.00	-
	Marker	LabelKN6.5	9.00	-


KATM4C (Shrouded)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	KATM4C	50.00	On Request
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	11.00	-


KATM5		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm<sup>2</sup> Torque: 2 Nm</p>	Terminal	KATM5	50.00	55.00
	End Plate	KPS4	9.50	10.50
	Shorting Link	KSL4	24.00	-
	Marker	LabelKN6.5	9.00	-


KATM5C (Shrouded)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm<sup>2</sup> Torque: 2 Nm</p>	Terminal	KATM5C	56.00	On Request
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	11.00	-


KABTM3L (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KABTM3L	32.00	35.50
	End Plate	KPS4	9.50	10.50
	Shorting Link	KSL3	24.00	-
	Marker	LabelKN6.5	9.00	-


KABTM3LC (Shrouded - Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KABTM3L-C	39.00	On Request
	End Plate	-	-	-
	Shorting Link	-	-	-
	Marker	LabelKN6.5	9.00	-


KABTM4 (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	KABTM4	41.00	45.50
	End Plate	KPS4	9.50	10.50
	Shorting Link	KSL4	24.00	-
	Marker	LabelKN6.5	9.00	-

KABTM4C (Shrouded - Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	KABTM4-C	44.50	On Request
	End Plate	-	-	-
	Shorting Link	-	-	-
	Marker	LabelKN10	11.00	-

KABTM5 (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm<sup>2</sup> Torque: 2 Nm</p>	Terminal	KABTM5	46.00	On Request
	End Plate	KPS4	9.50	10.50
	Shorting Link	KSL4	24.00	-
	Marker	LabelKN6.5	9.00	-

KABTM5C (Shrouded - Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm<sup>2</sup> Torque: 2 Nm</p>	Terminal	KABTM5C	52.00	On Request
	End Plate	-	-	-
	Shorting Link	-	-	-
	Marker	LabelKN10	11.00	-


KATM3E		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	KATM3E	23.50	On Request
	End Plate	KPS4	9.50	10.50
	Shorting Link	KSL3	24.00	-
	Marker	LabelKN6.5	9.00	-


KATM4E		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	KATM4E	27.00	On Request
	End Plate	KPS4	9.50	11.50
	Shorting Link	KSL4	24.00	-
	Marker	LabelKN6.5	9.00	-


All Shorting Link Prices are for 2 Way Shorting.





## Stud Type Terminals (Nut Driver Operated)


KBTM4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm <sup>2</sup> Torque: 1.2 Nm	Terminal	KBTM4	43.50 48.00
	End Plate	KPS4	9.50 10.50
	Shorting Link	KSL4	24.00 -
	Marker	LabelKN6.5	9.00 -


KBTM4C (Shrouded)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm <sup>2</sup> Torque: 1.2 Nm	Terminal	KBTM4C	51.00 On Request
	End Plate	Not Required	- -
	Marker	LabelKN10	11.00 -


KBTM5-15		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm <sup>2</sup> Torque: 2 Nm	Terminal	KBTM5-15	48.00 53.00
	End Plate	KPS4	9.50 10.50
	Shorting Link	KSL5	25.00 -
	Marker	LabelKN6.5	9.00 -


KBTM5-15C (Shrouded)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm <sup>2</sup> Torque: 2 Nm	Terminal	KBTM5-15C	57.00 On Request
	End Plate	Not Required	- -
	Marker	LabelKN12	11.00 (5 labels) -

KBTM6		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm <sup>2</sup> Torque: 2.5 Nm	Terminal	KBTM6	66.00 73.00
	End Plate	KPS4	9.50 10.50
	Shorting Link	KSL6	26.00 -
	Marker	LabelKN6.5	9.00 -


KBTM6C (Shrouded)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm <sup>2</sup> Torque: 2.5 Nm	Terminal	KBTM6C	72.50 On Request
	End Plate	Not Required	- -
	Marker	LabelKN17	12.00 (5 labels) -


KBTM4E		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm <sup>2</sup> Torque: 1.2 Nm	Terminal	KBTM4E	30.00 On Request
	End Plate	KPS4	9.50 10.50
	Shorting Link	KSL4	24.00 -
	Marker	LabelKN6.5	9.00 -


KBTM5E		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm <sup>2</sup> Torque: 2 Nm	Terminal	KBTM5E	34.00 On Request
	End Plate	KPS4	9.50 10.50
	Shorting Link	KSL5	25.00 -
	Marker	LabelKN6.5	9.00 -

KBTM6E		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm <sup>2</sup> Torque: 2 Nm	Terminal	KBTM6E	57.00 On Request
	End Plate	KPS6	12.00 On Request
	Marker	LabelKN12	11.00 -

## Stud Type Terminals (Hinged Type)

OAT2.5		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm <sup>2</sup> Torque: 0.5 Nm	Terminal	OAT2.5	40.00 44.00
	End Plate	OEP2.5	9.00 10.00
	Shorting Link	OSL2.5	20.00 -
	Marker	LabelKN6.5	9.00 -


OAT6		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm <sup>2</sup> Torque: 1.5 Nm	Terminal	OAT6	48.00 53.00
	End Plate	OEP6	10.00 11.10
	Shorting Link	OSL6	24.00 -
	Marker	LabelKN9	10.00 -


OAT25		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 125A Wire Size: 25 mm <sup>2</sup> Torque: 3 Nm	Terminal	OAT25	110.00 121.00
	End Plate	OEP25	13.00 14.30
	Shorting Link	KSL7	30.00 -
	Marker	LabelKN17	12.00 (5 labels) -


# Price List for DIN Rail Mounted Terminals : Polyamide 6.6





## Fuse Terminals


KUDF4NV*		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4NV 41.50 46.00
	Voltage: 800 V	End Plate	Not Required - -
	Current: 6.3 A	Shorting Link	UFSL 22.00 -
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN8 10.00 -
	Torque: 0.4 Nm		


KUDF4AD** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4AD 58.00 64.00
	Voltage: 800 V	End Plate	Not Required - -
	Current: 6.3 A	Shorting Link	UFSL 22.00 -
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN8 10.00 -
	Torque: 0.4 Nm		


KUFH4		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4 85.00 94.00
	Voltage: 800 V	End Plate	EPFH 12.00 13.10
	Current: 12 A	Shorting Link	Not Available - -
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN9 10.00 -
	Torque: 0.5 Nm		


KUFH4*** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4D 95.00 105.00
	Voltage: 800 V	End Plate	EPFH 12.00 13.10
	Current: 12 A	Shorting Link	Not Available - -
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN9 10.00 -
	Torque: 0.5 Nm		


KUFH4A*** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4A 96.00 106.00
	Voltage: 800 V	End Plate	EPFH 12.00 13.10
	Current: 12 A	Shorting Link	Not Available - -
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN9 10.00 -
	Torque: 0.5 Nm		


UBDF4		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	UBDF4 59.00 On Request
	Voltage: 1000 V	End Plate	Not Required - -
	Current: 6.3 A	Shorting Link	CLUF 22.00 -
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelU8.25 17.00 -
	Torque: 0.5 Nm		

UBDF4D***/4A***		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	UBDF4D* 67.00 On Request
	Voltage: 1000 V		UBDF4A* 70.00 On Request
	Current: 6.3 A	End Plate	Not Required - -
	Wire Size: 4 mm <sup>2</sup>	Shorting Link	CLUF 22.00 -
	Torque: 0.5 Nm	Marker	LabelU8.25 17.00 -


LED Kit (For UBDF 4)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Type	LED Kit 25.00 -
	Voltage: 12, 24, 48, 110, 220 VDC 110, 220 VAC		


KUF10		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10 105.00 On Request
	Voltage: 1000 V	End Plate	EPF 16.00 On Request
	Current: 12 A	Shorting Link	Not Available - -
	Wire Size: 10 mm <sup>2</sup>	Marker	LabelKN12 11.00(5 labels) -
	Torque: 1.4 Nm		

KUF10D*** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10D 120.00 On Request
	Voltage: 1000 V	End Plate	EPF 16.00 On Request
	Current: 12 A	Shorting Link	Not Available - -
	Wire Size: 10 mm <sup>2</sup>	Marker	LabelKN12 11.00(5 labels) -
	Torque: 1.4 Nm		

KUF10A*** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10A 125.00 On Request
	Voltage: 1000 V	End Plate	EPF 16.00 On Request
	Current: 12 A	Shorting Link	Not Available - -
	Wire Size: 10 mm <sup>2</sup>	Marker	LabelKN12 11.00(5 labels) -
	Torque: 1.4 Nm		

## Fuse Feed Through Terminals

KUDDF4		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4 95.00 105.00
	Voltage: 630 V	End Plate	Not Required - -
	Current: 6.3A UT/28ALT	Shorting Link	UFSL 22.00 -
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN8 10.00 -
	Torque: 0.5 Nm		

KUDDF4AD** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4AD 106.00 117.00
	Voltage: 630 V	End Plate	Not Required - -
	Current: 6.3A UT/28ALT	Shorting Link	UFSL 22.00 -
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN8 10.00 -
	Torque: 0.5 Nm		

\* With spare fuse provision in lever.


\*\*Available Signal Voltage AD12V = 12 V (12KΩ), AD24V = 24 V (27KΩ), AD48V = 48 V (56KΩ), AD110V = 110 V (130KΩ), AD220V = 220 V (270KΩ)


\*\*\*Available Signal Voltage D1 = 24 VDC (27KΩ), D2 = 48 VDC (56 KΩ), D3 = 110 VDC (130 KΩ), D4 = 220 VDC (270 KΩ), D5 = 12 VDC (12 KΩ), A1 = 110 VAC (130 KΩ), A2 = 220 VAC (270 KΩ)


Suitable for both AC & DC Voltages Resistor Value Shown in Brackets


All Shorting Link Prices are for 2 Way Shorting.


## Disconnecting Terminals (Sliding Link Type)


KLTD4		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	KLTD4	58.00	64.50
	Voltage: 800 V	End Plate	KPLD4	13.50	14.90
	Current: 41 A	Shorting Link	KDSL4	24.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
Torque: 1.2 Nm					


KLTD4-2W		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	KLTD4-2W	140.00	On Request
	Voltage: 800 V	End Plate	KPLD4	13.50	14.90
	Current: 41 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
Torque: 1.2 Nm					


KUTSD6		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	KUTSD6	60.00	66.00
	Voltage: 800 V	End Plate	KPSD	12.00	13.20
	Current: 38 A	Shorting Link	SLC6	22.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
Torque: 1.4 Nm					


KUTD10		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	KUTD10	88.00	97.00
	Voltage: 630 V	End Plate	KPTD	13.50	14.90
	Current: 61 A	Shorting Link	SLC6	22.00	-
	Wire Size: 10 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
Torque: 1.2 Nm					

KULTD6 (Spring Loaded)		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	KULTD6	110.00	121.00
	Voltage: 800 V	End Plate	KPSLD	12.50	13.80
	Current: 41 A	Shorting Link	SLD6	24.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
Torque: 1.0 Nm					


OAT6T (Hinged Type)		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	OAT6T	70.00	77.00
	Voltage: 800 V	End Plate	OEP6T	13.50	14.90
	Current: 41 A	Shorting Link	OSL6	24.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN9	10.00	-
Torque: 1.5 Nm					


OAT6DTS		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	OAT6DTS	78.00	86.00
	Voltage: 800 V	End Plate	OEP6DTS	14.50	16.00
	Current: 41 A	Shorting Link	OSL6	24.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN9	10.00	-
Torque: 1.5 Nm					


OAT6DTS-2W		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	OAT6DTS-2W	165.00	On Request
	Voltage: 800 V	End Plate	OEP6DTS	14.50	16.00
	Current: 41 A	Shorting Link	OSL6	28.50	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN9	10.00	-
Torque: 1.5 Nm					


OAT10DTS		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	OAT10DTS	105.00	On Request
	Voltage: 1000 V	End Plate	OEP10DTS	16.50	On Request
	Current: 57 A	Shorting Link	OSLD10	50.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN12	11.00	-
Torque: 2 Nm					

## Disconnecting Terminals (Knife Edge Type)

KULTD4		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	KULTD4	40.00	44.00
	Voltage: 800 V	End Plate	KPSD4	12.00	13.20
	Current: 20 A	Shorting Link	SLC4N	19.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
Torque: 0.6 Nm					

KULTD4WS (Spring Loaded)		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	KULTD4WS	75.00	82.50
	Voltage: 800 V	End Plate	KPSD4	12.00	13.20
	Current: 20 A	Shorting Link	SLC4N	19.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
Torque: 0.6 Nm					

KUDD4-2X2		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	KUDD4-2X2	70.00	77.00
	Voltage: 800 V	End Plate	KPMD4	15.00	16.60
	Current: 17.5 A	Shorting Link	SLC4N	19.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
Torque: 0.5 Nm					


KUDD6		Std. Colour	Non Std. Colour		
	IEC 60947-7-1	Terminal	KUDD6	60.00	On Request
	Voltage: 800 V	End Plate	KPSD4	10.00	11.10
	Current: 32 A	Shorting Link	KSLD6	22.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
Torque: 0.8 Nm					





# Price List for DIN Rail Mounted Terminals : Polyamide 6.6




## Plug & Socket Terminal


PS8M* (2W to 12W)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 6 mm<sup>2</sup> Torque: 0.8 Nm</p>	Terminal	PS8M (2 Way)	73.00 On Request
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN6.5	9.00 -

PAT100		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 100 A Wire Size: 25 mm<sup>2</sup> Torque: 3 Nm</p>	Terminal	PAT100	110.00 On Request
	End Plate	EPA100	17.50 On Request
	Shorting Link	Not Required	- -
	Marker	LabelKN8	10.00 -


PAT250		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 250 A Wire Size: 95 mm<sup>2</sup> Torque: 10 Nm</p>	Terminal	PAT250	260.00 On Request
	End Plate	EPA100	17.50 On Request
	Shorting Link	Not Required	- -
	Marker	LabelKN8	10.00 -


## Power Terminals (Panel Mounted)


PAT30		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	PAT 30	27.50 On Request
	End Plate	EPA30	12.00 On Request
	Shorting Link	Not Required	- -
	Marker	LabelKN8	10.00 -


PAT150		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 150 A Wire Size: 50 mm<sup>2</sup> Torque: 6 Nm</p>	Terminal	PAT150	172.00 On Request
	End Plate	EPA100	17.50 On Request
	Shorting Link	Not Required	- -
	Marker	LabelKN8	10.00 -


## Power Terminals


KBT100		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm<sup>2</sup> Torque: 2.5 Nm</p>	Terminal	KBT100	70.00 77.00
	End Plate	KPS100	12.00 13.20
	Partition Plate	KBXF	18.00 On Request
	Marker	LabelKN6.5	9.00 -


DPBB50CN		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm<sup>2</sup> Torque: 3 Nm</p>	Terminal	DPBB50CN	145.00 On Request
	Barrier Plate	BPN70	32.00 On Request
	Marker	LabelKN10	11.00 -


DPBB70CN		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm<sup>2</sup> Torque: 3 Nm</p>	Terminal	DPBB70CN	205.00 On Request
	Barrier Plate	BPN70	32.00 On Request
	Marker	LabelKN10	11.00 -

DPBB120CN		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm<sup>2</sup> Torque: 6 Nm</p>	Terminal	DPBB120CN	330.00 On Request
	Barrier Plate	BPN120	37.50 On Request
	Marker	LabelKN10	11.00 -

DPBB50		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm<sup>2</sup> Torque: 3 Nm</p>	Terminal	DPBB50	140.00 154.00
	Barrier Plate	BPN70	32.00 On Request
	Marker	LabelKN10	11.00 -

DPBB70		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm<sup>2</sup> Torque: 3 Nm</p>	Terminal	DPBB70	198.00 218.00
	Barrier Plate	BPN70	32.00 On Request
	Marker	LabelKN10	11.00 -


DPBB120		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm<sup>2</sup> Torque: 6 Nm</p>	Terminal	DPBB120	320.00 352.00
	Barrier Plate	BPN120	37.50 On Request
	Marker	LabelKN10	11.00 -

DPBB185N		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm<sup>2</sup> Torque: 14 Nm</p>	Terminal	DPBB185N	640.00 On Request
	Barrier Plate	BPA185/240	50.00 On Request
	Marker	LabelKN10	11.00 -


All Shorting Link Prices are for 2 Way Shorting.  
\* PS8M-3 Way to 8 Way Prices are shown on page 28


# Price List for DIN Rail Mounted Terminals : Polyamide 6.6





DPBB240			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm<sup>2</sup> Torque: 25 Nm</p>	Terminal	DPBB240	750.00	On Request
	Barrier Plate	BPA185/240	50.00	On Request
	Marker	LabelKN10	11.00	-


## Power Terminals (Finger Safe)


SPT35 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 140 A Wire Size: 35 mm<sup>2</sup> Torque: 3 Nm</p>	Terminal	SPT35	230.00	276.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	11.00 (5 labels)	-


SPT70 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm<sup>2</sup> Torque: 6 Nm</p>	Terminal	SPT70	340.00	408.00
	End Plate	Not Required	-	-
	Marker	LabelKN12	11.00 (5 labels)	-


SPT95 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 232 A Wire Size: 95 mm<sup>2</sup> Torque: 6 Nm</p>	Terminal	SPT95	420.00	On Request
	End Plate	Not Required	-	-
	Marker	LabelKN12	11.00 (5 labels)	-

SPT120 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm<sup>2</sup> Torque: 10 Nm</p>	Terminal	SPT120	550.00	On Request
	End Plate	Not Required	-	-
	Marker	LabelKN12	11.00 (5 labels)	-


SPT150 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 320 A Wire Size: 150 mm<sup>2</sup> Torque: 10 Nm</p>	Terminal	SPT150	630.00	On Request
	End Plate	Not Required	-	-
	Marker	LabelKN12	11.00 (5 labels)	-


SPT185 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm<sup>2</sup> Torque: 14 Nm</p>	Terminal	SPT185	850.00	On Request
	End Plate	Not Required	-	-
	Marker	LabelKN12	11.00 (5 labels)	-


SPT240 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm<sup>2</sup> Torque: 14 Nm</p>	Terminal	SPT240	950.00	On Request
	End Plate	Not Required	-	-
	Marker	LabelKN12	11.00 (5 labels)	-


SPT300 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 520 A Wire Size: 300 mm<sup>2</sup> Torque: 25 Nm</p>	Terminal	SPT300	1150.00	On Request
	End Plate	Not Required	-	-
	Marker	LabelKN12	11.00 (5 labels)	-

## Distribution Blocks

FDBK-1X2			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm<sup>2</sup> OG-4 mm<sup>2</sup> Torque: IC-2.5 Nm OG-0.5 Nm</p>	Distribution Block	FDBK-1X2	140.00	154.00
	Partition Plate	KBXF	18.00	On Request
	Shorting Link	Not Required	-	-
	Marker	LabelKN6.5	9.00	-


FDBK-1X4			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm<sup>2</sup> OG-4 mm<sup>2</sup> Torque: IC-2.5 Nm OG-0.5 Nm</p>	Distribution Block	FDBK-1X4	165.00	182.00
	Partition Plate	KBXF	18.00	On Request
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	11.00	-


FDBK-1X8			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm<sup>2</sup> OG-4 mm<sup>2</sup> Torque: IC-2.5 Nm OG-0.5 Nm</p>	Distribution Block	FDBK-1X8	255.00	281.00
	Partition Plate	KBXF	18.00	On Request
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	11.00	-


FDBK3, FDBK4, FDBK5, FDBK6, FDBK8			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-32A, OG-32A Wire Size: IC-4 mm<sup>2</sup> OG-4 mm<sup>2</sup> Torque: IC-0.5 Nm OG-0.5 Nm</p>	Distribution Block	FDBK3	63.00	On Request
		FDBK4	On Request	On Request
		FDBK5	On Request	On Request
		FDBK6	On Request	On Request
		FDBK8	On Request	On Request
	Partition Plate	KBXF	18.00	On Request
Shorting Link	Not Required	-	-	
Marker	LabelKN6.5	9.00	-	


# Price List for DIN Rail Mounted Terminals : Polyamide 6.6





DBK-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm<sup>2</sup> OG- 10 mm<sup>2</sup> Torque: IC-6Nm OG-1.2 Nm</p>	Distribution Block DBK-1X2	170.00	187.00
	Partition Plate KBXF	18.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN10	11.00	-


DBK-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm<sup>2</sup> OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm</p>	Distribution Block DBK-1X4	230.00	253.00
	Partition Plate KBXF	18.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN10	11.00	-


DBK-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm<sup>2</sup> OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm</p>	Distribution Block DBK-1X8	330.00	363.00
	Partition Plate KBXF	18.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN10	11.00	-


DFBK12		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 50 A Wire Size: 10/4 mm<sup>2</sup> Torque: 1.2/0.5 Nm</p>	Distribution Block DFBK12	250.00	290.00
	Partition Plate KBXF	18.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN 6.5/ LabelKN10	9.00/ 11.00	-


DBK3, DBK4, DBK5, DBK6, DBK8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-57A, OG-57A Wire Size: IC-10 mm<sup>2</sup> OG-10 mm<sup>2</sup> Torque: IC-1.2 Nm OG-1.2 Nm</p>	Distribution Block DBK3	80.00	On Request
	DBK4	On Request	On Request
	DBK5	On Request	On Request
	DBK6	On Request	On Request
	DBK8	192.00	On Request
	Partition Plate KBXF	18.00	On Request
	Shorting Link	Not Required	-
Marker LabelKN10	11.00	-	


DBK150/16-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm<sup>2</sup> OG-16 mm<sup>2</sup> Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block DBK150/16-1X2	600.00	On Request
	Partition Plate KBXF	18.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN12	11.00(5 labels)	-


DBK150/16-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm<sup>2</sup> OG-16 mm<sup>2</sup> Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block DBK150/16-1X4	670.00	On Request
	Partition Plate KBZF	22.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN12	11.00(5 labels)	-


DBK150/16-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm<sup>2</sup> OG-16 mm<sup>2</sup> Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block DBK150/16-1X8	810.00	On Request
	Partition Plate KBZF	22.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN12	11.00(5 labels)	-


DBK150/25-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm<sup>2</sup> OG-25 mm<sup>2</sup> Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block DBK150/25-1X2	670.00	On Request
	Partition Plate KBZF	22.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN12	11.00(5 labels)	-

DBK150/25-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm<sup>2</sup> OG-25 mm<sup>2</sup> Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block DBK150/25-1X4	770.00	On Request
	Partition Plate KBZF	22.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN12	11.00(5 labels)	-

DBK150/25-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm<sup>2</sup> OG-25 mm<sup>2</sup> Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block DBK150/25-1X8	980.00	On Request
	Partition Plate KBZF	22.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN12	11.00(5 labels)	-

DBK150/M6C-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm<sup>2</sup> OG-35 mm<sup>2</sup> Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block DBK150/M6C-1X2	810.00	On Request
	Partition Plate KBXF	18.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN12	11.00(5 labels)	-


DBK150/M6C-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm<sup>2</sup> OG-35 mm<sup>2</sup> Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block DBK150/M6C-1X4	920.00	On Request
	Partition Plate KBXF	18.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN12	11.00(5 labels)	-


DBK150/M6C-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm<sup>2</sup> OG-35 mm<sup>2</sup> Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block DBK150/M6C-1X8	1150.00	On Request
	Partition Plate KBXF	18.00	On Request
	Shorting Link	Not Required	-
	Marker LabelKN12	11.00(5 labels)	-

# Price List for DIN Rail Mounted Terminals : Polyamide 6.6





## Compact Distribution Blocks


DBD16		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm<sup>2</sup> OG- 6 mm<sup>2</sup>, 16mm<sup>2</sup> Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm</p>	Distribution Block	DBD16	284.00 On Request
	Partition Plate	KBXF	18.00 On Request
	Shorting Link	Not Required	- -
	Marker	LABELKN12	11.00(5 labels) -


DBD35		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm<sup>2</sup> OG- 10 mm<sup>2</sup>, 16 mm<sup>2</sup> Torque: IC-4.5 Nm OG- 1.2 Nm</p>	Distribution Block	DBD35	400.00 On Request
	Partition Plate	KBXF	18.00 On Request
	Shorting Link	Not Required	- -
	Marker	LABELKN12	11.00(5 labels) -


## Component Housing


KPCH 4* / KPCH 6*		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 20A/32A Wire Size: 4/6 mm<sup>2</sup> Torque: 0.6/0.8 Nm</p>	Terminal	KPCH4	80.00 On Request
		KPCH6	85.00 On Request
	End Plate	KPSD4	10.00 11.10
	Partition Plate	KBZF	22.00 On Request
	Marker	LabelKN5.5/8	8.50/10.00 -


KUDD4CC1 (Common Cathode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Terminal	KUDD4CC1	65.00 On Request
	End Plate	KPDD	11.00 12.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.50(5 labels) -


KUDD4CC2 (Common Cathode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Terminal	KUDD4CC2	65.00 On Request
	End Plate	KPDD	11.00 12.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.50 -


KUDD4CA1 (Common Anode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Terminal	KUDD4CA1	65.00 On Request
	End Plate	KPDD	11.00 12.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.50 -


KUDD4CA2 (Common Anode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Terminal	KUDD4CA2	65.00 On Request
	End Plate	KPDD	11.00 12.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.50 -


KUDD4D1 (One Diode)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Terminal	KUDD4D1	65.00 On Request
	End Plate	KPDD	11.00 12.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.50 -


KUDD4R (One Resistor)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Terminal	KUDD4R	65.00 On Request
	End Plate	KPDD	11.00 12.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.50 -

KUDD4MOV (with MOV)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Terminal	KUDD4MOV	85.00 On Request
	End Plate	KPDD	11.00 12.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	8.50 -

CH4 / CH6		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Adapter	CH4	40.00 On Request
		CH6	45.00 -
	Marker	LabelKN5.5	8.50 -


CH4D1 / CH6D1		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Adapter	CH4D1	On Request On Request
		CH6D1	On Request On Request
	Marker	LabelKN5.5	8.50 -


CH4R1 / CH6R1		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Adapter	CH4R1	On Request On Request
		CH6R1	On Request -
	Marker	LabelKN5.5	8.50 -


CH4MOV1 / CH6MOV1		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Current: 1A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.4 Nm</p>	Adapter	CH4MOV1	On Request On Request
		CH6MOV1	On Request -
	Marker	LabelKN5.5	8.50 -


All Shorting Link Prices are for 2 Way Shorting.  
\* Also available with diode, resistor and MOV.


## Micro Terminals (15mm Rail Mounted)

SUT1.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SUT1.5	15.00	On Request
	Voltage: 320 V	End Plate	ES2	11.00	On Request
	Current: 18 A	Shorting Link	CCLA1.5	20.00	-
	Wire Size: 1.5 mm <sup>2</sup>	Marker	LabelKN5	9.00	-
	Torque: 0.4 Nm				


SUT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SUT4	10.00	11.00
	Voltage: 500 V	End Plate	ES4	6.00	6.70
	Current: 32 A	Shorting Link	CCLADD	13.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.5 Nm				


CET4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CET4	18.00	On Request
	Voltage: 500 V	End Plate	EPM	11.50	On Request
	Current: 32 A	Shorting Link	SLE	15.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN6.5	9.00	-
	Torque: 0.5 Nm				


MBT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	MBT4	23.00	On Request
	Voltage: 630 V	End Plate	MP1	11.00	On Request
	Current: 30 A	Shorting Link	SLU4	22.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelU6	16.00	-
	Torque: 0.5 Nm				

SET4 (Earthing)				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	SET4	On Request	-
	Wire Size: 4 mm <sup>2</sup>	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	8.50	-


## Micro Terminals (Panel Mounted)


PET4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PET4	13.00	14.50
	Voltage: 500 V	End Plate	EPP	7.50	8.30
	Current: 32 A	Shorting Link	CCLADD	13.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
	Torque: 0.5 Nm				


PBTM3				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM3	9.00	On Request
	Voltage: 250 V	End Plate	EPBM4	6.50	On Request
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm <sup>2</sup>	Marker	Not Required	-	-
	Torque: 0.5 Nm				


PBTM4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM4	10.00	On Request
	Voltage: 250 V	End Plate	EPBM4	6.50	On Request
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm <sup>2</sup>	Marker	Not Required	-	-
	Torque: 1.2 Nm				

## Spring Clamp Terminals - Feed Through (35mm Rail Mounted)

DST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5	11.00	12.50
	Voltage: 800 V	End Plate	DSEP2.5	5.70	6.30
	Current: 24 A	Shorting Link	SSL2.5	9.50	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5	9.00	-

DST4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4	18.70	21.00
	Voltage: 800 V	End Plate	DSEP4	7.00	7.80
	Current: 32 A	Shorting Link	SSL4	16.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-


DST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6	37.00	41.00
	Voltage: 800 V	End Plate	DSEP6	8.00	8.80
	Current: 41 A	Shorting Link	SSL6	25.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN8	10.00	-


DST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10	70.00	77.00
	Voltage: 800 V	End Plate	DSEP10	9.00	10.00
	Current: 57 A	Shorting Link	SSL10	35.00	-
	Wire Size: 10 mm <sup>2</sup>	Marker	LabelKN10	11.00	-





# Price List for DIN Rail Mounted Terminals : Polyamide 6.6





DST16		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm<sup>2</sup></p>	Terminal	DST16	93.00	102.50
	End Plate	DSEP16	14.00	15.50
	Shorting Link	SSL16	60.00	-
	Marker	LabelKN12	11.00 <sup>(5 labels)</sup>	-


DST35		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 125 A Wire Size: 35 mm<sup>2</sup></p>	Terminal	DST35	340.00	On Request
	End Plate	Not Required	-	-
	Shorting Link	SSL35	75.00	-
	Marker	LabelKN17	12.00 <sup>(5 labels)</sup>	-


DST2.5-1X2		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	DST2.5-1X2	25.50	28.50
	End Plate	DSMP2.5-1x2	7.00	7.70
	Shorting Link	SSL2.5	9.50	-
	Marker	LabelKN5	9.00	-


DST2.5-2X2		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	DST2.5-2X2	27.00	30.00
	End Plate	DSMP2.5-2X2	7.50	8.30
	Shorting Link	SSL2.5	9.50	-
	Marker	LabelKN5	9.00	-


DST4-1X2		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm<sup>2</sup></p>	Terminal	DST4-1X2	35.00	39.00
	End Plate	DSMP4-1X2	8.50	9.40
	Shorting Link	SSL4	16.00	-
	Marker	LabelKN5.5	8.50	-


DST4-2X2		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm<sup>2</sup></p>	Terminal	DST4-2X2	41.00	45.50
	End Plate	DSMP4-2X2	10.00	11.10
	Shorting Link	SSL4	16.00	-
	Marker	LabelKN5.5	8.50	-


DST6-1X2		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm<sup>2</sup></p>	Terminal	DST6-1X2	79.00	87.00
	End Plate	DSMP6-1X2	10.50	11.60
	Shorting Link	SSL6	25.00	-
	Marker	LabelKN8	10.00	-


DST10-1X2		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm<sup>2</sup></p>	Terminal	DST10-1X2	122.00	On Request
	End Plate	DSMP10-1X2	11.00	On Request
	Shorting Link	SSL10	35.00	-
	Marker	LabelKN10	11.00	-


DST16-1X2		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 76 A Wire Size: 16 mm<sup>2</sup></p>	Terminal	DST16-1X2	155.00	On Request
	End Plate	DSMP16-1X2	12.00	On Request
	Shorting Link	SSL16	60.00	-
	Marker	LabelKN12	11.00 <sup>(5 labels)</sup>	-


DST2.5-2C1P		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 500 V Current: 16 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	DST2.5-2C1P	80.00	On Request
	End Plate	DSMP2.5-2C1P	12.00	On Request
	Shorting Link	SSL2.5	9.50	-
	Marker	LabelKN5	9.00	-


DST2.5-2C2P		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 500 V Current: 16 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	DST2.5-2C2P	85.00	On Request
	End Plate	DSMP2.5-2C2P	14.00	On Request
	Shorting Link	SSL2.5	9.50	-
	Marker	LabelKN5	9.00	-

DST2.5-2C1PP		Std. Colour	Non Std. Colour
	DST2.5C1PP - 2 Way	40.00	On Request
	Compatible with terminal blocks DST 2.5 - 2C1P & DST 2.5 - 2C2P		


SCT2.5 (Side Entry)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	SCT2.5	10.50	12.00
	End Plate	SEP2.5	5.00	5.50
	Shorting Link	SSL2.5	9.50	-
	Marker	LabelKN5	9.00	-

SCT4 (Side Entry)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm<sup>2</sup></p>	Terminal	SCT4	17.00	19.00
	End Plate	SEP4	5.50	6.10
	Shorting Link	SSL4	16.00	-
	Marker	LabelKN5.5	8.50	-


SCT6 (Side Entry)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm<sup>2</sup></p>	Terminal	SCT6	46.00	51.00
	End Plate	SEP6	7.50	8.30
	Shorting Link	SSL6	25.00	-
	Marker	LabelKN8	10.00	-


SCT10 (Side Entry)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm<sup>2</sup></p>	Terminal	SCT10	52.00	57.50
	End Plate	SEP10	8.50	9.40
	Shorting Link	SSL10	35.00	-
	Marker	LabelKN10	11.00	-


## Spring Clamp Terminals - Component Housing


DSDD2.5 CA1 / CC2		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	DSDD2.5CA1	On Request	On Request
		DSDD2.5CC2	On Request	On Request
	End Plate	DPDD2.5	10.50	11.60
	Shorting Link	Not Required	-	-
	Marker	LabelKN5.5	8.50	-

## Spring Clamp Terminals - Multi Level


DSDD2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDD2.5	31.00	34.50
	Voltage: 800 V	End Plate	DPDD2.5	10.50	11.60
	Current: 24 A	Shorting Link	SSL4	16.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-


DSDDM2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDDM2.5	On Request	On Request
	Voltage: 500 V	End Plate	DSDDM2.5EP	On Request	On Request
	Current: 20 A	Shorting Link	SSL4	16.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5	9.00	-


DS3L2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DS3L2.5	98.00	On Request
	Voltage: 500 V	End Plate	DSEP3	27.00	On Request
	Current: 20 A	Shorting Link	SSL4	16.00	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-

DS8LP16 / P32				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DS8LP16	On Request	On Request
	Voltage: 250 V		DS8LP32	On Request	On Request
	Current: 10 A	End Plate	DSEP8	On Request	On Request
	Wire Size: 1.5 mm <sup>2</sup>	Marker	LabelKN8	10.00	-


## Spring Clamp Terminals - Fuse


DCF4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DCF4	65.00	72.00
	Voltage: 800 V	End Plate	DFEP	12.00	13.20
	Current: 10 A	Shorting Link	SSL4	16.00	-
	Wire Size: 4 mm <sup>2</sup>	Marker	LabelKN8	10.00	-


DCF4D* / 4A** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DCF4D	85.00	94.00
	Voltage: 800 V		DCF4A	85.00	94.00
	Current: 10 A	End Plate	DFEP	12.00	13.20
	Wire Size: 4 mm <sup>2</sup>	Shorting Link	SSL4	16.00	-
		Marker	LabelKN8	10.00	-


SCF6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCF6	210.00	On Request
	Voltage: 800 V	End Plate	SFEP6	10.00	On Request
	Current: 10 A	Shorting Link	SSL6	25.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN12	11.00	-

## Spring Clamp Terminals - Test Disconnect


DSDT2.5 WOSL				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDT2.5WOSL	On Request	On Request
	Voltage: 1000 V	End Plate	DPDT2.5WOSL	On Request	On Request
	Current: 17.5 A	Shorting Link	Not Required	-	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5	9.00	-


DSDT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDT2.5	46.00	51.00
	Voltage: 1000 V	End Plate	DPDT2.5	8.00	8.90
	Current: 17.5 A	Shorting Link	SSL2.5	9.50	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5	9.00	-

DSDT2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDT2.5-2X2	49.00	54.30
	Voltage: 1000 V	End Plate	DPMDT2.5	11.00	12.20
	Current: 17.5 A	Shorting Link	Not Required	-	-
	Wire Size: 2.5 mm <sup>2</sup>	Marker	LabelKN5	9.00	-

DSCDT6 (Side Entry)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSCDT6	On Request	On Request
	Voltage: 400 V	End Plate	DSEPDT6	On Request	On Request
	Current: 41 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN8	10.00	-

## Spring Clamp Distribution Blocks

DTB35-10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DTB35-10	185.00	On Request
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	SLC17.5	50.00	-
	Wire Size: 1C-35 mm <sup>2</sup>	Marker	LabelKN17	12.00 (5 labels)	-
	OG - 10 mm <sup>2</sup>				


DTB35-10X4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DTB35-10X4	230.00	On Request
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	Not Required	-	-
	Wire Size: 1C-35 mm <sup>2</sup>	Marker	LabelKN12	11.00 (5 labels)	-
	OG - 10 mm <sup>2</sup>				


\*D1 - 24 VDC, D2 - 48 VDC, D3 - 110 VDC, D4 - 220 VDC, D5 - 12 VDC / \*\*A1 - 110 VAC, A2 - 220 VAC


# Price List for DIN Rail Mounted Terminals : Polyamide 6.6





## Spring Clamp Terminals - Earthing Type


DSET2.5		Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 2.5 mm <sup>2</sup>	Terminal	DSET2.5	70.00
	End Plate	DSEP2.5(Gr)	7.50
	Shorting Link	Not Required	-
	Marker	LabelKN5	9.00

DSET4		Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 4 mm <sup>2</sup>	Terminal	DSET4	71.00
	End Plate	DSEP4(Gr)	9.20
	Shorting Link	Not Required	-
	Marker	LabelKN5.5	8.50


DSET6		Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 6 mm <sup>2</sup>	Terminal	DSET6	140.00
	End Plate	DSEP6(Gr)	10.40
	Shorting Link	Not Required	-
	Marker	LabelKN8	10.00


DSET10		Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 10 mm <sup>2</sup>	Terminal	DSET10	175.00
	End Plate	DSEP10(Gr)	11.50
	Shorting Link	Not Required	-
	Marker	LabelKN10	11.00

DSET2.5-1X2		Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 2.5 mm <sup>2</sup>	Terminal	DSET2.5-1X2	110.00
	End Plate	DSMP2.5-1X2(Gr)	9.20
	Shorting Link	Not Required	-
	Marker	LabelKN5	9.00


DSET2.5-2X2		Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 2.5 mm <sup>2</sup>	Terminal	DSET2.5-2X2	111.00
	End Plate	DSMP2.5-2X2(Gr)	9.80
	Shorting Link	Not Required	-
	Marker	LabelKN5	9.00


## Spring Clamp Micro Terminals - (15mm Rail Mounted)


MCT2.5MC		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm <sup>2</sup>	Terminal	MCT2.5MC	12.50
	End Plate	MEP2.5MC	5.80
	Shorting Link	MSL2.5	13.50
	Marker	LabelKN5.5	8.50


SCT2.5MC		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm <sup>2</sup>	Terminal	SCT2.5MC	On Request
	End Plate	SEP2.5	5.00
	Shorting Link	SSL2.5	9.50
	Marker	LabelKN5	9.00


## Spring Clamp Micro Terminals - Panel Mounted

MCT1.5		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 17.5 A Wire Size: 1.5 mm <sup>2</sup>	Terminal	MCT1.5	6.90
	End Plate	MEP1.5	3.50
	Shorting Link	MSL1.5	13.00


MCT2.5		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm <sup>2</sup>	Terminal	MCT2.5	8.00
	End Plate	MEP2.5	4.00
	Shorting Link	MSL2.5	13.50
	Marker	LabelKN5.5	8.50

MCT2.5P4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm <sup>2</sup>	Terminal	MCT2.5P4	15.00
	End Plate	MEP2.5	4.00
	Shorting Link	MSL2.5	13.50
	Marker	LabelKN10	11.00

MCT4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm <sup>2</sup>	Terminal	MCT4	13.00
	End Plate	MEP4	7.00
	Shorting Link	MSL4	18.00
	Marker	LabelKN6.5	9.00

MCT4P4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm <sup>2</sup>	Terminal	MCT4P4	24.00
	End Plate	MEP4	7.00
	Shorting Link	MSL4	18.00
	Marker	LabelKN12	11.00 <sup>(5 labels)</sup>

## Spring Clamp Terminal (Din Rail Mounted)

DMCT2.5P4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm <sup>2</sup>	Terminal	DMCT2.5P4	On Request
	End Plate	DMEP2.5P4	9.00
	Shorting Link	MSL2.5	13.50
	Marker	LabelKN10	11.00 <sup>(5 labels)</sup>


All Shorting Link Prices are for 2 Way Shorting.





# Price List for DIN Rail Mounted Terminals : Polyamide 6.6




## Plug & Socket Terminals


DPSC5.08 (Wire to Wire)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	DPSC5.08WW(2Way)	80.00 On Request
		DPSC5.08WW(3Way)	120.00 On Request
		DPSC5.08WW(4Way)	160.00 On Request
		DPSC5.08WW(5Way)	200.00 On Request
		DPSC5.08WW(6Way)	240.00 On Request
		DPSC5.08WW(8Way)	320.00 On Request


DPSC5.08 (Panel Mounted)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	DPSC5.08PM(2Way)	82.00 On Request
		DPSC5.08PM(3Way)	123.00 On Request
		DPSC5.08PM(4Way)	164.00 On Request
		DPSC5.08PM(5Way)	205.00 On Request
		DPSC5.08PM(6Way)	246.00 On Request
		DPSC5.08PM(8Way)	328.00 On Request


DPSC7.50 (Wire to Wire)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 16 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	DPSC7.5WW(2Way)	On Request On Request
		DPSC7.5WW(4Way)	On Request On Request
		DPSC7.5WW(6Way)	On Request On Request
		DPSC7.5WW(8Way)	On Request On Request


DPSC7.50 (Panel Mounted)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm<sup>2</sup></p>	Terminal	DPSC7.5PM(2Way)	On Request On Request
		DPSC7.5PM(4Way)	On Request On Request
		DPSC7.5PM(6Way)	On Request On Request
		DPSC7.5PM(8Way)	On Request On Request

## Lighting Pole Terminals


LPT225		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm<sup>2</sup></p>	Terminal	LPT225	78.00 On Request
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN10	11.00 -


LPT235		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm<sup>2</sup></p>	Terminal	LPT235	185.00 On Request
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN12	11.00 -


LPT325		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm<sup>2</sup></p>	Terminal	LPT325	120.00 On Request
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN10	11.00 -

LPT335		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm<sup>2</sup></p>	Terminal	LPT335	250.00 On Request
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN12	11.00 -


## Neutral Links

KNL4		Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm<sup>2</sup> Torque: 0.8 Nm</p>	Terminal	KNL4 13.00
	Bus-Bar (6 mm x 6 mm)	KNLB6 On Request
	Bus-Bar (10 mm x 3 mm)	KNLB10 On Request
	End Support (Panel Mounted)	KNLSUP 14.00
	End Support (Rail Mounted)	SCNL 24.00
	Marker	LabelKN6.5 9.00

KNL16		Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm<sup>2</sup> Torque: 2 Nm</p>	Terminal	KNL16 18.00
	Bus-Bar (6 mm x 6 mm)	KNLB6 On Request
	Bus-Bar (10 mm x 3 mm)	KNLB10 On Request
	End Support (Panel Mounted)	KNLSUP 14.00
	End Support (Rail Mounted)	SCNL 24.00
	Marker	LabelKN8 10.00

KNL35		Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm<sup>2</sup> Torque: 3 Nm</p>	Terminal	KNL35 30.00
	Bus-Bar (6 mm x 6 mm)	KNLB6 On Request
	Bus-Bar (10 mm x 3 mm)	KNLB10 On Request
	End Support (Panel Mounted)	KNLSUP 14.00
	End Support (Rail Mounted)	SCNL 24.00
	Marker	LabelKN10 11.00

## PCB Connectors


PUT2.5 (7.5 mm Pitch)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 15 A Wire Size: 0.5-2.5 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	PUT2.5	13.00 On Request
	End Plate	-	-
	Shorting Link	-	-
	Marker	LabelKN7.5	17.00(5 labels) -


All Shorting Link Prices are for 2 Way Shorting.


# Price List for DIN Rail Mounted Terminals : Melamine





## Feed Through Terminals


CST2.5	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm <sup>2</sup> Torque: 0.5 Nm			Std. Colour	Non Std. Colour
			Terminal CST2.5	14.50	16.00
	End Plate EPX	7.00	7.80		
	Shorting Link CCLA2.5	14.00	-		
	Marker LabelKN6.5	9.00	-		


CST6	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm <sup>2</sup> Torque: 0.8 Nm			Std. Colour	Non Std. Colour
			Terminal CST6	17.00	19.00
	End Plate EPX	7.00	7.80		
	Shorting Link CCLA6	16.00	-		
	Marker LabelKN8	10.00	-		


CST10	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm <sup>2</sup> Torque: 1.2 Nm			Std. Colour	Non Std. Colour
			Terminal CST10	23.00	25.50
	End Plate EPX	7.00	7.80		
	Shorting Link CCLA10	17.50	-		
	Marker LabelKN10	11.00	-		

CST16	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm <sup>2</sup> Torque: 1.2 Nm			Std. Colour	Non Std. Colour
			Terminal CST16	38.00	42.00
	End Plate EPY	13.00	14.50		
	Shorting Link CCLA16	19.50	-		
	Marker LabelKN10	11.00	-		


CST25	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm <sup>2</sup> Torque: 1.2 Nm			Std. Colour	Non Std. Colour
			Terminal CST25	52.00	58.00
	End Plate EPT	14.00	15.50		
	Shorting Link CCLA25	22.00	-		
	Marker LabelKN12	11.00(5 labels)	-		


CST35	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm <sup>2</sup> Torque: 4 Nm			Std. Colour	Non Std. Colour
			Terminal CST35	85.00	94.00
	End Plate EPZ	15.00	16.50		
	Shorting Link CCLA35	26.00	-		
	Marker LabelKN17	12.00(5 labels)	-		


CST70	IEC 60947-7-1 Voltage: 800 V Current: 192 A Wire Size: 70 mm <sup>2</sup> Torque: 6 Nm			Std. Colour	Non Std. Colour
			Terminal CST70	On Request	On Request
	End Plate EP70	100.00	On Request		
	Shorting Link Not Available	-	-		
	Marker LabelKN17	12.00(5 labels)	-		

CST185	IEC 60947-7-1 Voltage: 800 V Current: 353 A Wire Size: 185 mm <sup>2</sup> Torque: 14 Nm			Std. Colour	Non Std. Colour
			Terminal CST 185	On Request	On Request
	End Plate EP185	120.00	On Request		
	Shorting Link Not Available	-	-		
	Marker LabelKN17	12.00(5 labels)	-		


## Spring Loaded Terminals


CST2.5WS	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm <sup>2</sup> Torque: 0.5 Nm			Std. Colour	Non Std. Colour
			Terminal CST2.5WS	25.00	On Request
	End Plate EPX	7.00	7.80		
	Shorting Link CCLA2.5	14.00	-		
	Marker LabelKN6.5	9.00	-		


CST6WS	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm <sup>2</sup> Torque: 0.8 Nm			Std. Colour	Non Std. Colour
			Terminal CST6WS	45.00	On Request
	End Plate EPX	7.00	7.80		
	Shorting Link CCLA6	16.00	-		
	Marker LabelKN6.5	9.00	-		

CSLT1	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm <sup>2</sup> Torque: 1.2 Nm			Std. Colour	Non Std. Colour
			Terminal CSLT1	45.00	On Request
	End Plate EPSL	12.50	13.80		
	Shorting Link CCLA1L	22.00	-		
	Marker LabelKN10	11.00	-		

## Stud Type Terminals (Screw Driver Operated)

CATM3*	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm <sup>2</sup> Torque: 0.5 Nm			Std. Colour	Non Std. Colour
			Terminal CATM3	35.00	39.00
	End Plate EPS4NV	9.00	10.00		
	Shorting Link ASL1	25.00	-		
	Marker LabelKN6.5	9.00	-		

CATM4*	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm <sup>2</sup> Torque: 1.2 Nm			Std. Colour	Non Std. Colour
			Terminal CATM4	42.00	47.00
	End Plate EPS4NV	9.00	10.00		
	Shorting Link ADSL	24.00	-		
	Marker LabelKN8	10.00	-		

CATM5*	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm <sup>2</sup> Torque: 2 Nm			Std. Colour	Non Std. Colour
			Terminal CATM5	55.00	66.50
	End Plate EPS4NV	9.00	10.00		
	Shorting Link ADSL	24.00	-		
	Marker LabelKN8	10.00	-		


\* Suitable for 1100V AC applications.


All Shorting Link Prices are for 2 Way Shorting.


# Price List for DIN Rail Mounted Terminals : Melamine




## Stud Type Terminals (Nut Driver Operated)


CBTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM4	43.00	47.00
	Voltage: 800 V	End Plate	EPS4NV	9.00	10.00
	Current: 57 A	Shorting Link	KSL5	25.00	-
	Wire Size: 10 mm <sup>2</sup>	Marker	LabelKN6.5	9.00	-
Torque: 1.2 Nm					


CBTM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM5	50.00	55.00
	Voltage: 800 V	End Plate	EPS4NV	9.00	10.00
	Current: 76 A	Shorting Link	KSL5	25.00	-
	Wire Size: 16 mm <sup>2</sup>	Marker	LabelKN6.5	9.00	-
Torque: 2 Nm					

CBTM6*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM6	70.00	77.00
	Voltage: 800 V	End Plate	EPS4NV	9.00	10.00
	Current: 125 A	Shorting Link	BSL6	26.00	-
	Wire Size: 25 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
Torque: 2.5 Nm					


CBTM6S1*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM6S1	115.00	On Request
	Voltage: 800 V	End Plate	EPS5/6	13.00	On Request
	Current: 125 A	Shorting Link	Not Available	-	-
	Wire Size: 35 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
Torque: 2.5 Nm					


## Stud Type Terminals (Screw & Nut Driver Operated)


CABTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CABTM4	45.00	49.50
	Voltage: 1100 V	End Plate	EPS4NV	9.00	10.00
	Current: 57 A	Shorting Link	ADSL	24.00	-
	Wire Size: 10 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
Torque: 1.2 Nm					

PSC1/5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PSC1/5	290.00	On Request
	Voltage: 600 V	End Plate	Not Required	-	-
	Current: 25 A	Shorting Link	Not Available	-	-
	Per Contact Wire Size: 2.5 mm <sup>2</sup>	Marker	Not Required	-	-
Torque: 0.5 Nm					


## Test - Disconnect Terminals


CATDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CATDM4	72.00	79.50
	Voltage: 800 V	End Plate	EPD4	14.50	16.00
	Current: 41 A	Shorting Link	ADSL	24.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
Torque: 1.2 Nm					


CLTDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CLTDM4	68.00	75.00
	Voltage: 1100 V	End Plate	EPLD4	14.50	16.00
	Current: 45 A	Shorting Link	ADSL	24.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN5.5	8.50	-
Torque: 1.2 Nm					


CSTD6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CSTD6	On Request	On Request
	Voltage: 800 V	End Plate	EPTD	18.00	19.80
	Current: 38 A	Shorting Link	ADSL	24.00	-
	Wire Size: 6 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
Torque: 0.8 Nm					

## Power Terminals

CBT100				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT100	110.00	121.00
	Voltage: 800 V	End Plate	EPS5/6	13.00	On Request
	Current: 125 A	Shorting Link	Not Available	-	-
	Wire Size: 35 mm <sup>2</sup>	Marker	LabelKN8	10.00	-
Torque: 2.5 Nm					

CBT110				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT110	160.00	176.00
	Voltage: 1000 V	Barrier Plate	BPA110	36.00	On Request
	Current: 150 A	Shorting Link	Not Available	-	-
	Wire Size: 30-35 mm <sup>2</sup>	Marker	LabelKN10	11.00	-
Torque: 3 Nm					


CBT170				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT170	260.00	286.00
	Voltage: 1000 V	Barrier Plate	BPA17/25	40.00	On Request
	Current: 192 A	Shorting Link	Not Available	-	-
	Wire Size: 50-70 mm <sup>2</sup>	Marker	LabelKN10	11.00	-
Torque: 6 Nm					

CBT250				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT250	310.00	341.00
	Voltage: 1000 V	Barrier Plate	BPA17/25	40.00	On Request
	Current: 250 A	Shorting Link	Not Available	-	-
	Wire Size: 70-95 mm <sup>2</sup>	Marker	LabelKN10	11.00	-
Torque: 10 Nm					


\* Suitable for 1100V AC applications.


# Price List for DIN Rail Mounted Terminals : Melamine





CBT300		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 300A Wire Size: 70-120 mm<sup>2</sup> Torque: 10 Nm</p>	Terminal	CBT300	390.00 430.00
	Barrier Plate	BPA17/25	40.00 On Request
	Shorting Link	Not Available	- -
	Marker	LabelKN10	11.00 -

## Power Terminals (With Tapped Current Bar)


CBT110T		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 35-50 mm<sup>2</sup> Torque: 3 Nm</p>	Terminal	CBT110T	175.00 On Request
	Barrier Plate	BPA110	36.00 On Request
	Shorting Link	Not Available	- -
	Marker	LabelKN10	11.00 -


CBT170T		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm<sup>2</sup> Torque: 6 Nm</p>	Terminal	CBT170T	275.00 On Request
	Barrier Plate	BPA17/25	40.00 On Request
	Shorting Link	Not Available	- -
	Marker	LabelKN10	11.00 -


CBT250T		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm<sup>2</sup> Torque: 10 Nm</p>	Terminal	CBT250T	340.00 On Request
	Barrier Plate	BPA17/25	40.00 On Request
	Shorting Link	Not Available	- -
	Marker	LabelKN10	11.00 -


CBT300T		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 300 A Wire Size: 70-120 mm<sup>2</sup> Torque: 10 Nm</p>	Terminal	CBT300T	480.00 On Request
	Barrier Plate	BPA17/25	40.00 On Request
	Shorting Link	Not Available	- -
	Marker	LabelKN10	11.00 -

## "C" Series Feed Through Terminals (Polyamide 6.6)

CUTM2.5		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	CUTM 2.5	On Request On Request
	End Plate	KPNS(Kh)	8.00 On Request
	Shorting Link	CCLM2.5	15.00 -
	Marker	LabelKN5.5	8.50 -

CUT4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm<sup>2</sup> Torque: 0.5 Nm</p>	Terminal	CUT4	On Request On Request
	End Plate	EPX	7.00 7.80
	Shorting Link	CCLA2.5	14.00 -
	Marker	LabelKN6.5	9.00 -

CUT6		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm<sup>2</sup> Torque: 0.8 Nm</p>	Terminal	CUT6	On Request On Request
	End Plate	EPX	7.00 7.80
	Shorting Link	CCLA6	16.00 -
	Marker	LabelKN6.5	9.00 -

CUT10		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm<sup>2</sup> Torque: 1.2 Nm</p>	Terminal	CUT10	On Request On Request
	End Plate	EPX	7.00 7.80
	Shorting Link	CCLA10	17.50 -
	Marker	LabelKN10	11.00 -

# Price List for Terminals: Polyamide 6.6



## PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
<b>Suitable For Feed Through Terminals</b>				
KUTM2.5	Elmex Electric	100	8.80	9.80
KUT2.5	Elmex Electric	100	9.00	10.00
KUT4	Elmex Electric	100	11.40	12.50
KST4UWS	Elmex Electric	100	On Request	On Request
KUT6	Elmex Electric	100	16.10	18.00
KST6WS	Elmex Electric	100	On Request	On Request
KUT10	Elmex Electric	100	20.50	23.00
KUT16	Elmex Electric	100	36.20	40.00
KUT25	Elmex Electric	100	58.00	64.00
KUT35	Elmex Electric	50	79.00	87.00
KUT50	Elmex Electric	10	230.00	253.00
KUT95	Elmex Electric	10	375.00	On Request
KUT4-1X2	Elmex Electric	100	26.50	29.50
KUT4-2X2	Elmex Electric	100	37.00	41.00
<b>Suitable For Spring Loaded Terminals</b>				
KULT4	Elmex Electric	100	30.00	33.00
KULT6	Elmex Electric	100	32.00	35.50
KULT1	Elmex Electric	100	41.00	45.50
<b>Suitable For Earth Terminals</b>				
ET4	Elmex Electric	100	69.50	-
ET6	Elmex Electric	50	82.50	-
ET10	Elmex Electric	50	103.00	-
ET16	Elmex Electric	50	114.00	-
ET35	Elmex Electric	20	250.00	-
ET50	Elmex Electric	20	600.00	-
<b>Suitable For Thermocouple Terminals</b>				
KUT4NTCK	Elmex Electric	50	75.00	On Request
KUT4NTCJ	Elmex Electric	50	98.00	On Request
KUT4NTCT	Elmex Electric	50	98.00	On Request
KUT4NTCE	Elmex Electric	50	98.00	On Request
<b>Suitable For Double Deck Terminals</b>				
KU2D4	Elmex Electric	100	29.00	32.00
KU2D4S	Elmex Electric	100	40.00	44.00
KUDD4	Elmex Electric	100	32.50	36.00
<b>Suitable For Triple Deck Terminals</b>				
DU3D4	Elmex Electric	100	75.00	On Request
DUSD4	Elmex Electric	100	47.00	On Request
<b>Suitable For Photovoltaic Terminals</b>				
KUT2.5N	Elmex Electric	100	11.00	12.20
KUT4N	Elmex Electric	100	13.10	14.50
KUT6N	Elmex Electric	100	17.00	19.00
KUT10N	Elmex Electric	100	22.50	25.00
KUDD4N	Elmex Electric	100	48.00	53.00
<b>Suitable For Earth Terminals (N - Series)</b>				
ETN4	Elmex Electric	100	72.00	-
ETN6	Elmex Electric	100	85.00	-
ETN10	Elmex Electric	100	110.00	-
ETDD4N	Elmex Electric	100	120.00	-
<b>Suitable For Stud Type Terminals</b>				
KATM3	Elmex Electric	100	34.00	37.50
KATM3C	Elmex Electric	50	41.00	On Request
KATM4	Elmex Electric	50	43.00	47.50
KATM4C	Elmex Electric	50	50.00	On Request
KATM5	Elmex Electric	50	50.00	55.00
KATM5C	Elmex Electric	50	56.00	On Request
KABTM3L	Elmex Electric	50	32.00	35.50
KABTM3L-C	Elmex Electric	50	39.00	On Request
KABTM4	Elmex Electric	50	41.00	45.50
KABTM4-C	Elmex Electric	50	44.50	On Request
KABTM5	Elmex Electric	50	46.00	On Request
KABTM5C	Elmex Electric	50	52.00	On Request
KATM3E	Elmex Electric	50	23.50	On Request
KATM4E	Elmex Electric	50	27.00	On Request
KBTM4	Elmex Electric	50	43.50	48.00
KBTM4C	Elmex Electric	50	51.00	On Request
KBTM5-15	Elmex Electric	50	48.00	53.00
KBTM5-15C	Elmex Electric	50	57.00	On Request
KBTM6	Elmex Electric	50	66.00	73.00
KBTM6C	Elmex Electric	50	72.50	On Request
KBTM4E	Elmex Electric	50	30.00	On Request
KBTM5E	Elmex Electric	50	34.00	On Request
KBTM6E	Elmex Electric	50	57.00	On Request
OAT2.5	Elmex Electric	50	40.00	44.00

# Price List for Terminals: Polyamide 6.6



## PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
OAT6	Elmex Electric	50	48.00	53.00
OAT25	Elmex Electric	50	110.00	121.00
<b>Suitable For Fuse Terminals</b>				
KUDF4NV	Elmex Electric	100	41.50	46.00
KUDF4AD	Elmex Electric	100	58.00	54.00
KUFH4	Elmex Electric	100	85.00	94.00
KUFH4D	Elmex Electric	100	95.00	105.00
KUFH4A	Elmex Electric	100	96.00	106.00
UBDF4	Elmex Electric	50	59.00	On Request
UBDF4D	Elmex Electric	50	67.00	On Request
UBDF4A	Elmex Electric	50	70.00	On Request
LED Kit (For UBDF4)	Elmex Electric	100	25.00	-
KUF10	Elmex Electric	100	105.00	On Request
KUF10D	Elmex Electric	100	120.00	On Request
KUF10A	Elmex Electric	100	125.00	On Request
<b>Suitable For Fuse Feed Through Terminals</b>				
KUDDF4	Elmex Electric	100	95.00	105.00
KUDDF4AD	Elmex Electric	100	106.00	117.00
<b>Suitable For Plug and Socket</b>				
PS8M - 2 Way	Elmex Electric	20	73.00	On Request
PS8M - 3 Way	Elmex Electric	20	110.00	On Request
PS8M - 4 Way	Elmex Electric	20	146.00	On Request
PS8M - 5 Way	Elmex Electric	20	182.00	On Request
PS8M - 6 Way	Elmex Electric	20	220.00	On Request
PS8M - 7 Way	Elmex Electric	20	260.00	On Request
PS8M - 8 Way	Elmex Electric	20	300.00	On Request
<b>Suitable For Disconnecting Terminals ( Sliding Link Type)</b>				
KLTD4	Elmex Electric	50	58.00	64.50
KLTD4-2W	Elmex Electric	25	140.00	On Request
KUTSD6	Elmex Electric	50	60.00	66.00
KUTD10	Elmex Electric	50	88.00	97.00
KULTD6	Elmex Electric	50	110.00	121.00
OAT6T	Elmex Electric	50	70.00	77.00
OAT6DTS	Elmex Electric	40	78.00	86.00
OAT6DTS - 2Way	Elmex Electric	20	165.00	On Request
OAT10DTS	Elmex Electric	50	105.00	On Request
<b>Suitable For Disconnecting Terminals (Knife Edge Type)</b>				
KULTD4	Elmex Electric	100	40.00	44.00
KULTD4WS	Elmex Electric	100	75.00	82.50
KUDT4-2X2	Elmex Electric	100	70.00	77.00
KUDT6	Elmex Electric	100	60.00	On Request
<b>Suitable For Power Terminals</b>				
PAT30	Elmex Electric	100	27.50	On Request
PAT100	Elmex Electric	25	110.00	On Request
PAT150	Elmex Electric	10	172.00	On Request
PAT250	Elmex Electric	10	260.00	On Request
KBT100	Elmex Electric	25	70.00	77.00
DPBB50	Elmex Electric	10	140.00	154.00
DPBB50CN	Elmex Electric	10	145.00	On Request
DPBB70	Elmex Electric	10	198.00	218.00
DPBB70CN	Elmex Electric	10	205.00	On Request
DPBB120	Elmex Electric	10	320.00	352.00
DPBB120CN	Elmex Electric	10	330.00	On Request
DPBB185N	Elmex Electric	10	640.00	On Request
DPBB240	Elmex Electric	10	750.00	On Request
SPT35	Elmex Electric	10	230.00	276.00
SPT70	Elmex Electric	10	340.00	408.00
SPT95	Elmex Electric	10	420.00	On Request
SPT120	Elmex Electric	10	550.00	On Request
SPT150	Elmex Electric	10	630.00	On Request
SPT185	Elmex Electric	10	850.00	On Request
SPT240	Elmex Electric	10	950.00	On Request
SPT300	Elmex Electric	10	1150.00	On Request
<b>Suitable For Distribution Blocks</b>				
FDBK-1X2	Elmex Electric	10	140.00	154.00
FDBK-1X4	Elmex Electric	10	165.00	182.00
FDBK-1X8	Elmex Electric	10	225.00	281.00
FDBK3	Elmex Electric	10	63.00	On Request
FDBK4	Elmex Electric	10	On Request	On Request
FDBK5	Elmex Electric	10	On Request	On Request
FDBK6	Elmex Electric	10	On Request	On Request
FDBK8	Elmex Electric	10	On Request	On Request
DBK-1X2	Elmex Electric	10	170.00	187.00
DBK-1X4	Elmex Electric	10	230.00	253.00



# Price List for Terminals: Polyamide 6.6



## PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DBK-1X8	Elmex Electric	10	330.00	363.00
DFBK12	Elmex Electric	10	250.00	290.00
DBK3	Elmex Electric	10	60.00	On Request
DBK4	Elmex Electric	10	On Request	On Request
DBK5	Elmex Electric	10	On Request	On Request
DBK6	Elmex Electric	10	On Request	On Request
DBK8	Elmex Electric	10	192.00	On Request
DBK150/16-1X2	Elmex Electric	10	600.00	On Request
DBK150/16-1X4	Elmex Electric	10	670.00	On Request
DBK150/16-1X8	Elmex Electric	10	810.00	On Request
DBK150/25-1X2	Elmex Electric	10	670.00	On Request
DBK150/25-1X4	Elmex Electric	10	770.00	On Request
DBK150/25-1X8	Elmex Electric	10	980.00	On Request
DBK150/M6C-1X2	Elmex Electric	10	810.00	On Request
DBK150/M6C-1X4	Elmex Electric	10	920.00	On Request
DBK150/M6C-1X8	Elmex Electric	10	1150.00	On Request
DBD16	Elmex Electric	10	284.00	On Request
DBD35	Elmex Electric	10	400.00	On Request
<b>Suitable For Component Housings</b>				
KPCH4*	Elmex Electric	100	80.00	On Request
KPCH6*	Elmex Electric	100	85.00	On Request
KUDD4CC1	Elmex Electric	100	65.00	On Request
KUDD4CC2	Elmex Electric	100	65.00	On Request
KUDD4CA1	Elmex Electric	100	65.00	On Request
KUDD4CA2	Elmex Electric	100	65.00	On Request
KUDD4D1	Elmex Electric	100	65.00	On Request
KUDD4R	Elmex Electric	50	65.00	On Request
KUDD4MOV	Elmex Electric	50	85.00	On Request
CH4	Elmex Electric	50	40.00	On Request
CH6	Elmex Electric	50	45.00	On Request
CH4D1	Elmex Electric	50	On Request	On Request
CH6D1	Elmex Electric	50	On Request	On Request
CH4R1	Elmex Electric	50	On Request	On Request
CH6R1	Elmex Electric	50	On Request	On Request
CH4MOV1	Elmex Electric	50	On Request	On Request
CH6MOV1	Elmex Electric	50	On Request	On Request
<b>Suitable For Micro Terminals</b>				
SUT1.5	Elmex Electric	100	15.00	On Request
SUT4	Elmex Electric	100	10.00	11.00
CET4	Elmex Electric	100	18.00	On Request
MBT4	Elmex Electric	100	23.00	On Request
SET4	Elmex Electric	100	On Request	-
PET4	Elmex Electric	100	13.00	14.50
PBTM3	Elmex Electric	100	9.00	On Request
PBTM4	Elmex Electric	100	10.00	On Request
<b>Suitable For Spring Clamp Terminals</b>				
DST2.5	Elmex Electric	100	11.00	12.50
DST4	Elmex Electric	100	18.70	21.00
DST6	Elmex Electric	50	37.00	41.00
DST10	Elmex Electric	20	70.00	77.00
DST16	Elmex Electric	100	93.00	102.50
DST35	Elmex Electric	100	340.00	On Request
DST2.5-1X2	Elmex Electric	100	25.50	28.50
DST2.5-2X2	Elmex Electric	100	27.00	30.00
DST4-1X2	Elmex Electric	100	35.00	39.00
DST4-2X2	Elmex Electric	100	41.00	45.50
DST6-1X2	Elmex Electric	100	79.00	87.00
DST10-1X2	Elmex Electric	100	122.00	On Request
DST16-1X2	Elmex Electric	100	155.00	On Request
DST2.5-2C1P	Elmex Electric	100	280.00	On Request
DST2.5-2C2P	Elmex Electric	100	85.00	On Request
DST2.5C1PP	Elmex Electric	100	40.00	On Request.
SCT2.5	Elmex Electric	100	10.50	12.00
SCT4	Elmex Electric	100	17.00	19.00
SCT6	Elmex Electric	100	46.00	51.00
SCT10	Elmex Electric	100	52.00	57.50
DSDD2.5CA1	Elmex Electric	100	On Request	On Request
DSDD2.5CC2	Elmex Electric	10	On Request	On Request
DSDD2.5	Elmex Electric	100	31.00	34.50
DSDDM2.5	Elmex Electric	100	On Request	On Request
DS3L2.5	Elmex Electric	100	98.00	On Request
DS8LP16	Elmex Electric	100	On Request	On Request
DS8LP32	Elmex Electric	100	On Request	On Request
DCF4	Elmex Electric	100	65.00	72.00

# Price List for Terminals: Polyamide 6.6, Melamine, Neutral Links, PCB Connectors



## PRICE LIST FOR TERMINALS : POLYAMIDE 6.6, MELAMINE, NEUTRAL LINKS, PCB CONNECTORS

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DCF4D	Elmex Electric	50	85.00	94.00
DCF4A	Elmex Electric	50	85.00	94.00
SCF6	Elmex Electric	50	210.00	On Request
DSDT2.5WOSL	Elmex Electric	100	On Request	On Request
DSDT2.5	Elmex Electric	100	46.00	51.00
DSDT2.5-2X2	Elmex Electric	100	49.00	54.30
DSCDT6	Elmex Electric	100	On Request	On Request
DTB35-10	Elmex Electric	10	185.00	On Request
DTB35-10X4	Elmex Electric	10	230.00	On Request
DSET2.5	Elmex Electric	100	70.00	-
DSET4	Elmex Electric	100	71.00	-
DSET6	Elmex Electric	100	140.00	-
DSET10	Elmex Electric	100	175.00	-
DSET2.5-1X2	Elmex Electric	100	110.00	-
DSET2.5-2X2	Elmex Electric	100	111.00	-
MCT2.5MC	Elmex Electric	100	12.50	On Request
SCT2.5MC	Elmex Electric	100	On Request	On Request
MCT1.5	Elmex Electric	100	6.90	7.70
MCT2.5	Elmex Electric	100	8.00	9.00
MCT2.5P4	Elmex Electric	100	15.00	16.50
MCT4	Elmex Electric	100	13.00	14.50
MCT4P4	Elmex Electric	100	24.00	26.50
DMCT2.5P4	Elmex Electric	100	On Request	On Request
DPSC5.08WW (2 Way)	Elmex Electric	20	80.00	On Request
DPSC5.08WW (3 Way)	Elmex Electric	20	120.00	On Request
DPSC5.08WW (4 Way)	Elmex Electric	20	160.00	On Request
DPSC5.08WW (5 Way)	Elmex Electric	20	200.00	On Request
DPSC5.08WW (6 Way)	Elmex Electric	20	240.00	On Request
DPSC5.08WW (8 Way)	Elmex Electric	20	320.00	On Request
DPSC5.08PM (2 Way)	Elmex Electric	20	82.00	On Request
DPSC5.08PM (3 Way)	Elmex Electric	20	123.00	On Request
DPSC5.08PM (4 Way)	Elmex Electric	20	164.00	On Request
DPSC5.08PM (5 Way)	Elmex Electric	20	205.00	On Request
DPSC5.08PM (6 Way)	Elmex Electric	20	248.00	On Request
DPSC5.08PM (8 Way)	Elmex Electric	20	328.00	On Request
DPSC7.50WW (2 Way)	Elmex Electric	20	On Request	On Request
DPSC7.50WW (4 Way)	Elmex Electric	20	On Request	On Request
DPSC7.50WW (6 Way)	Elmex Electric	20	On Request	On Request
DPSC7.50WW (8 Way)	Elmex Electric	20	On Request	On Request
DPSC7.50PM (2 Way)	Elmex Electric	20	On Request	On Request
DPSC7.50PM (4 Way)	Elmex Electric	20	On Request	On Request
DPSC7.50PM (6 Way)	Elmex Electric	20	On Request	On Request
DPSC7.50PM (8 Way)	Elmex Electric	20	On Request	On Request
<b>Suitable For Lighting Pole Terminals</b>				
LPT225	Elmex Electric	100	78.00	On Request
LPT235	Elmex Electric	100	185.00	On Request
LPT325	Elmex Electric	100	120.00	On Request
LPT335	Elmex Electric	100	250.00	On Request
<b>Suitable For Neutral Links</b>				
KNL4	Elmex Electric	50	13.00	-
KNL16	Elmex Electric	50	18.00	-
KNL35	Elmex Electric	50	30.00	-
<b>Suitable For PCB Connectors</b>				
PUT2.5(G)	Elmex Electric	100	13.00	On Request
<b>Suitable For Feed Through Terminals (Melamine)</b>				
CST2.5	Elmex Controls	100	14.50	16.00
CST6	Elmex Controls	100	17.00	19.00
CST10	Elmex Controls	100	23.00	25.50
CST16	Elmex Controls	100	38.00	42.00
CST25	Elmex Controls	100	52.00	58.00
CST35	Elmex Controls	50	85.00	94.00
CST70	Elmex Controls	5	On Request	On Request
CST185	Elmex Controls	5	On Request	On Request
<b>Suitable For Spring Loaded Terminals</b>				
CST2.5WS	Elmex Controls	100	25.00	On Request
CST6WS	Elmex Controls	100	45.00	On Request
CSLT1	Elmex Controls	100	45.00	On Request
<b>Suitable For Stud Type Terminals</b>				
CATM3	Elmex Controls	50	35.00	39.00
CATM4	Elmex Controls	50	42.00	47.00
CATM5	Elmex Controls	50	55.00	66.50
CBTM4	Elmex Controls	50	43.00	47.00
CBTM5	Elmex Controls	50	50.00	55.00
CBTM6	Elmex Controls	50	70.00	77.00



# Price List for Terminals: Melamine, Polyamide 6.6



PRICE LIST FOR TERMINALS: MELAMINE				
Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
CBTM6S1	Elmex Controls	50	115.00	On Request
CABTM4	Elmex Controls	50	45.00	49.50
<b>Suitable For Plug and Socket</b>				
PSC 1/5	Elmex Controls	20	290.00	On Request
<b>Suitable For Test - Disconnect Terminals</b>				
CATDM4	Elmex Controls	50	72.00	79.50
CLTDM4	Elmex Controls	50	68.00	75.00
CSTD6	Elmex Controls	50	On Request	On Request
<b>Suitable For Power Terminal</b>				
CBT100	Elmex Controls	10	110.00	121.00
CBT110	Elmex Controls	10	160.00	176.00
CBT170	Elmex Controls	10	260.00	286.00
CBT250	Elmex Controls	10	310.00	341.00
CBT300	Elmex Controls	10	390.00	430.00
CBT110T	Elmex Controls	10	175.00	On Request
CBT170T	Elmex Controls	10	275.00	On Request
CBT250T	Elmex Controls	10	340.00	On Request
CBT300T	Elmex Controls	10	480.00	On Request
PRICE LIST FOR TERMINALS : POLYAMIDE 6.6 "C" Series				
<b>Suitable For Feed Through Terminal</b>				
CUTM2.5	Elmex Electric	100	On Request	On Request
CUT4	Elmex Electric	100	On Request	On Request
CUT6	Elmex Electric	100	On Request	On Request
CUT10	Elmex Electric	100	On Request	On Request

## Price List for Accessories

MOUNTING CHANNELS					
Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each) For Hexavalent Plating	Rate in Rs. (Per Each) For Trivalent Plating
<b>Mounting Rails with Zinc Plating</b>					
<b>32mm Rails for Melamine Terminals, K-Series Terminals and C-Series Terminals</b>					
300mm Length	Elmex Controls	CHS3	-	48.00	55.00
500mm Length	Elmex Controls	CHS5	-	78.00	90.00
1000mm Length (1 Meter)	Elmex Controls	CHS10	-	158.00	175.00
2000mm Length (2 Meter)	Elmex Controls	CHS20	-	315.00	350.00
<b>35mm Rails (7.5mm Depth) for K-Series Terminals</b>					
300mm Length	Elmex Electric	CHK3	-	29.00	32.50
500mm Length	Elmex Electric	CHK5	-	44.00	52.50
1000mm Length (1 Meter)	Elmex Electric	CHK10	-	96.00	100.00
35mm Rails Perforated Rail (7.5mm Depth) 1000mm Length	Elmex Electric	CHKS10	-	104.00	115.00
<b>35mm Rails (15mm Depth)</b>					
35mm Rails (15mm Depth) for K-Series Terminals 1000mm Length	Elmex Electric	CHKD10	-	175.00	180.00
35mm Rails Perforated Rail (15mm Depth) 1000mm Length	Elmex Electric	CHKDS10	-	194.00	200.00
<b>15mm Rails For Micro Terminals</b>					
500mm Length	Elmex Electric	CHM5	-	40.00	45.00
1000m Length (1 Meter)	Elmex Electric	CHM10	-	80.00	85.00
<b>SIDE CLAMPS</b>					
End Clamps suitable for 32mm Rail	Elmex Controls	SCS (METALLIC)	200	7.00	-
End Clamps suitable for 32mm Rail	Elmex Controls	SCSN (MELAMINE)	200	9.00	-
End Clamps suitable for 15mm Rail	Elmex Electric	SCMN (POLYAMIDE 6.6)	100	7.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCKN (POLYAMIDE 6.6)	100	8.50	-
End Clamps suitable for 35mm Rail with Marking Label Holder	Elmex Electric	SCKNMLH (POLYAMIDE 6.6)	100	15.00	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUN (POLYAMIDE 6.6)	100	11.00	-
End Clamps suitable for 32mm and 35mm Rail with Marking Label Holder	Elmex Electric	SCUNMLH (POLYAMIDE 6.6)	100	18.00	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUDD (POLYAMIDE 6.6)	100	23.00	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCEC35 (POLYAMIDE 6.6)	100	10.00	-
End Clamps suitable for 32mm and 35mm Rail (Screwless)	Elmex Electric	SCUSL (POLYAMIDE 6.6)	100	25.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN (POLYAMIDE 6.6)	100	10.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN10(POLYAMIDE 6.6)	100	11.00	-
Marking Label Holder for DCKN	Elmex Electric	MLH for DCKN	100	8.50	-
Screwless End Clamps suitable for 35mm Rail with Marking Label Holder (Screwless)	Elmex Electric	DCKNMLH (POLYAMIDE 6.6)	100	19.00	-
End Foot Suitable for 15mm Rail for MCT 2.5	Elmex Electric	MCT2.5EF-15	100	10.00	-
End Foot Suitable for 15mm Rail for MCT 2.5	Elmex Electric	MCT2.5EF	100	11.00	-
Centre Foot Suitable for 35mm Rail for MCT 2.5	Elmex Electric	MCT2.5CF	100	11.00	-
Centre Foot Suitable for 35mm Rail for MCT 4	Elmex Electric	MCT4CF	100	11.50	-

# Price List for Accessories



MARKING LABELS Snap-On Type Marking Label Strips (1 Strip = 10 Nos.)	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs. (Per Strip of 10 labels) For Blank	Rate in Rs. (Per Strip of 10 labels) *For Printed.
<b>For Terminal Type</b>					
KUTM2.5, DST2.5, SCT2.5, DST2.5-1X2, DST2.5-2X2, DSST2.5-2X2, SCT2.5MC, DST2.5-2C1P, DST2.5-2C2P, DSDDM2.5, DSET2.5, DSET2.5-1X2, DSET2.5-2X2	LABEL KN5	Elmex Electric	100	8.00	9.00
KUT2.5, KULT4, ET4, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, KU2D4, KU2D4S, KUDD4, DU3D4, KLDM4, KULTD4, KULTD4WS, DBK2.5, SUT4, DST4, SCT4, DSET4, MCT2.5, DSDD2.5, KUT4-1X2, KUT4-2X2, KPCH4, ETDD4N, KUDT4-2X2, MCT2.5, MCT2.5P4, MCT2.5MC, DS3L 2.5, DST4-1X2, DST4-2X2, CST35, CATDM4, CLDM4, CUTM2.5	LABEL KN5.5	EC/EE	100	7.50	8.50
KUT4, KST4UWS, KATM3, KATM4, KATM5, KBTM4, KABTM4, KBTM5-15, KBTM6, KBT100, MCT4, KNL4, OAT2.5, PS8M, FDBK3, FDBK4, FDBK5, FDBK6, FDBK8, FDBK-1X2, FDBK-1X2, FDBK-1X4, KATM3E, KATM4E, KBTM4E, KBTM5E, KATM3C, KABTM3L, KABTM3LC, KABTM5, CST2.5, CST6, CATM3, CBTM5, CUT4, CUT6	LABEL KN6.5	EC/EE	100	8.00	9.00
DPSC7.50	LABEL KN7.5	Elmex Electric	100	12.00	17.00
KUT6, KST6WS, KULT6, KUDF4, KUDF4AD, KUDDF4, KUDDF4AD, DS8LP16/32, KUTSD6, KUTD10, KULTD6, ET6, DST6, DCF4, DSET6, KNL16, DSCT6, DSCDT6, KUPTD6, KUPTD6S, KUPDS6, PAT30, PAT100, PAT150, PAT250, KUDT6, SCT6, DST6-1X2, CBTM6, CBTM6S1, CBT100, CABTM4	LABEL KN8	EC/EE	100	9.00	10.00
OAT6, OAT6T, KUFH4, KUFH4A, KUFH4D, OAT6DTS, OAT6DTS-2W	LABEL KN9	Elmex Electric	100	9.00	10.00
KUT10, KULT1, DPBB50/50CN, DPBB70/70CN, DPBB120/120CN, DPBB185N, DPBB240, DFBK12, DBK3, DBK4, DBK5, DBK6, DBK8, DBK-1X2, DBK-1X4, DBK-1X8, DST10, LPT225, LPT325, DSET10, MCT2.5P4, DMCT2.5P4, KATM4C, KATM5C, KBTM4C, KABTM4C, KABTM5C, DST10-1X2, CST10, CST16, CSLT1, CBT110, CBT170, CBT250, CBT300, CBT110T, CBT170T, BT250T, CBT300T, CUT10	LABEL KN10	EC/EE	100	10.00	11.00
KUT16, KUT25, ET16, ET35, KUF10, KUF10A*, KUF10D, DBK150/16-1X2, DBK150/16-1X4, DBK150/16-1X8, DBK150/25 Series, DST16, LPT235, LPT335, DBD16, DBD35, MCT4P4, DBK150/M6C Series, SPT Series, KBTM5-15C, KBTM6E, SCF6, DST16-1X2, DTB35-10X4, CST25	LABEL KN12	EC/EE	100	9.00 (For 5 label Strip)	11.00 (For 5 label Strip)
KUT35, KUT50, KUT95, ET50, KBTM6C, OAT25, CST70, CST185, DTB35-10	LABEL KN17	Elmex Electric	100	10.00(For 5 label Strip)	12.00(For 5 label Strip)
UBDF4, UBDF4A, UBDF4D	LABEL U8.25	Elmex Electric	100	15.00	17.00

WARNING LABELS	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs.
<b>Warning Labels with Mounting Screws(Nylon) for Standard Terminals</b>				
KUTM2.5, KUT2.5, CST2.5WS, CUT4	WL2.5	Elmex Electric	10	On Request
KUT4, KST4UWS, KUT4N, CST2.5	WL4	Elmex Electric	10	On Request
KUT6, KST6WS, CST6, CUT6	WL6	Elmex Electric	10	On Request
KUT10, CST10, CUT10	WL10	Elmex Electric	10	On Request
KUT16, KUT25, CST16	WL16	Elmex Electric	10	On Request
<b>PVC Group Marking Carrier</b>				
For 32mm DIN Rail	GMC	Elmex Controls	-	30.00
For 32mm DIN Rail - 10mm Thick	GMH10	Elmex Electric	50	16.00
For 32mm DIN Rail - 20mm Thick	GMH20	Elmex Electric	50	24.00
Barrier Plate Universal Rail Mounted to Support PCK3	UHDD	EC/EE	50	30.00

# Price List for Accessories



END Plates					
Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM2.5, KUT2.5	Elmex Electric	KPNS	100	5.50	6.00
KUT4, KST4UWS, KUT6, KUT10	Elmex Electric	KPX	100	6.00	6.70
KUT4-1X2	Elmex Electric	KPM4	100	11.00	12.20
KUT4-2X2, KUDD4-2X2	Elmex Electric	KPMD4	100	15.00	16.60
KST6WS	Elmex Electric	KSP6WS	100	On Request	On Request
KUT16	Elmex Electric	KPY	100	8.50	9.40
KUT25	Elmex Electric	KPT	100	8.50	9.40
KU2D4, KU2D4S	Elmex Electric	EPDD4	100	11.00	12.20
KUDD4, KUDD4CC1, KUDD4CC2, KUDD4CA1, KUDD4CA2, KUDD4D1, KUDD4R, KUDD4MOV	Elmex Electric	KPDD	100	11.00	12.20
DUD4	Elmex Electric	DP3D	100	15.00	On Request
DUSD4	Elmex Electric	DPSD	100	11.00	On Request
KULT4, KULT6, KULT1	Elmex Electric	KPSL	100	11.00	12.20
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE	Elmex Electric	KPXN	100	7.50	8.30
KUDD4N, ETDD4N	Elmex Electric	KPDDN	100	17.00	18.70
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4, KABTM3L, KABTM5, KATM3E, KATM4E, KBTM4E	Elmex Electric	KPS4	100	9.50	10.50
KBTM6E	Elmex Electric	KPS6	100	12.00	On Request
OAT2.5	Elmex Electric	OEP2.5	100	9.00	10.00
OAT6	Elmex Electric	OEP6	100	10.00	11.10
OAT25	Elmex Electric	OEP25	100	13.00	14.30
OAT6T	Elmex Electric	OEP6T	100	13.50	14.90
OAT6DTS, OAT6DTS-2W	Elmex Electric	OEP6DTS	100	14.50	16.00
OAT10DTS	Elmex Electric	OEP10DTS	100	16.50	On Request
KUF10, KUF10D, KUF10A	Elmex Electric	EPF	100	16.00	On Request
KUFH4, KUFH4D, KUFH4A	Elmex Electric	EPFH	100	12.00	13.10
KLTD4M4NV	Elmex Electric	KPLD4	100	13.50	14.90
KUTSD6NV	Elmex Electric	KPSD	100	12.00	13.20
KUTD10NV	Elmex Electric	KPTD	100	13.50	14.90
KULTD6	Elmex Electric	KPSLD	100	12.50	13.80
KULTD4, KULTD4WS, KPCH4, KUDDT6	Elmex Electric	KPSD4	100	12.00	13.20
KBT100	Elmex Electric	KPS100	100	12.00	13.20
DSCDT6	Elmex Electric	DSEPDT6	100	On Request	On Request
DS3L2.5	Elmex Electric	DSEP3	100	27.00	On Request
DS8LP16, DS8LP32	Elmex Electric	DSEP8	100	On Request	On Request
SUT1.5	Elmex Electric	ES2	100	11.00	On Request
SUT4	Elmex Electric	ES4	100	6.00	6.70
CET4	Elmex Electric	EPM	100	11.50	On Request
MBT4	Elmex Electric	MP1	100	11.00	On Request
PET4	Elmex Electric	EPP	100	7.50	8.30
DST2.5, DSDPT2.5	Elmex Electric	DSEP2.5	100	5.70	6.30
DST4, DSET4	Elmex Electric	DSEP4	100	7.00	7.80
DST6, DSET6	Elmex Electric	DSEP6	100	8.00	8.80
DST10, DSET10	Elmex Electric	DSEP10	100	9.00	10.00
DST16	Elmex Electric	DSEP16	100	14.00	15.50
SCT2.5, SCT2.5MC	Elmex Electric	SEP2.5	100	5.00	5.50
SCT4	Elmex Electric	SEP4	100	5.50	6.10
SCT6	Elmex Electric	SEP6	100	7.50	8.30
SCT10	Elmex Electric	SEP10	100	8.50	9.40
DST2.5-1X2	Elmex Electric	DSMP2.5-1X2	100	7.00	7.70
DST2.5-2X2	Elmex Electric	DSMP2.5-2X2	100	7.50	8.30
DST4-1X2	Elmex Electric	DSMP4-1X2	100	8.50	9.40
DST4-2X2	Elmex Electric	DSMP4-2X2	100	10.00	11.00
DST6-1X2	Elmex Electric	DSMP6-1X2	100	10.50	11.60
DST10-1X2	Elmex Electric	DSMP10-1X2	100	11.00	On Request
DST16-1X2	Elmex Electric	DSMP16-1X2	100	12.00	On Request
DST2.5-2C1P	Elmex Electric	DSMP2.5-2C1P	100	12.00	On Request
DST2.5-2C2P	Elmex Electric	DSMP2.5-2C2P	100	14.00	On Request
DSDT2.5	Elmex Electric	DPDT2.5	100	8.00	8.90
DSDT2.5WOSL	Elmex Electric	DPDT2.5WOSL	100	On Request	On Request
DSDT2.5-2X2	Elmex Electric	DPMDT2.5	100	11.00	12.20
DSDD2.5	Elmex Electric	DPDD2.5	100	10.50	11.60
DSDDM2.5	Elmex Electric	DSDDM2.5EP	100	On Request	On Request
DCF4, DCF4D, DCF4A	Elmex Electric	DFEP	100	12.00	13.20
SCF6	Elmex Electric	SFEP6	100	10.00	On Request
MCT1.5	Elmex Electric	MEP1.5	100	3.50	3.90
MCT2.5, MCT2.5P4	Elmex Electric	MEP2.5	100	3.70	4.10
MCT2.5MC	Elmex Electric	MEP2.5MC	100	5.80	On Request
MCT4, MCT4P4	Elmex Electric	MEP4	100	7.00	7.70
DMCT2.5P4	Elmex Electric	DMEP2.5P4	100	9.00	On Request

# Price List for Accessories



## END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
PAT30	Elmex Electric	EPA30	100	12.00	On Request
PAT100, PAT150, PAT250	Elmex Electric	EPA100	100	17.50	On Request
PBTM3, PBTM4	Elmex Electric	EPBM4	100	6.50	On Request
CSTM2.5, CUTM2.5	Elmex Controls	KPNS(Kh)	100	8.00	On Request
CST2.5, CST6, CST10, CST2.5WS, CST6WS, CUT4, CUT6, CUT10	EC/EE	EPX	100	7.00	7.80
CST16	Elmex Controls	EPY	100	13.00	14.50
CST25	Elmex Controls	EPT	100	14.00	15.50
CST35	Elmex Controls	EPZ	100	15.00	16.50
CST70	Elmex Controls	EP70	100	100.00	On Request
CST185N	Elmex Controls	EP185	100	120.00	On Request
CATM3, CATM4, CATM5, CBTM4, CBT M5, CBT M6, CABTM4	Elmex Controls	EPS4NV	100	9.00	10.00.
CBTM6S1, CBT100	Elmex Controls	EPS5/6	100	13.00	On Request
CATDM4	Elmex Controls	EPD4	100	14.50	16.00
CLTDM4	Elmex Controls	EPLD4	100	14.50	16.00
CSTD6	Elmex Controls	EPTD	100	18.00	19.80
CSLT1	Elmex Controls	EPSL	100	12.50	13.80

## PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM2.5, KUT2.5, DBK2.5, DBM4-10WAY	Elmex Electric	KBM	100	11.50	12.60
KUT4, KST4UWS, KUT6, KUT10, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK8, FDBK1X4, FDBK1X8, DFBK12	Elmex Electric	KBX	100	14.50	15.90
KST6WS, KUT16, DBK150/16-1X2, DBK150/16-1X4	Elmex Electric	KBY	100	17.50	18.10
KUT25, DBK150/25-1X2, DBK150/25-1X4	Elmex Electric	KBT	100	18.00	19.70
CET4, NET4, SUT4	Elmex Electric	MBX	100	13.00	On Request
SCT2.5, SCT4	Elmex Electric	DBF1	100	29.00	On Request
DST2.5, DST4, DSET4	Elmex Electric	DBF2	100	31.00	On Request
DST2.5-1X2, DST4-1X2, DSDT2.5, DCT2.5-1X2, DCT2.5-2X2, DET2.5-1X2, DET2.5-2X2, SCT6, SCT10	Elmex Electric	DBF3	100	43.00	On Request
DST6, DST10, DST16, DSET6, DSET10, DST2.5-2X2, DST4-2X2	Elmex Electric	DBF4	100	55.00	On Request
DST6-1X2, DSDT2.5-2X2, DSC6, DSCDT6	Elmex Electric	DBF5	100	70.00	On Request

## PARTITION PLATES WITH FOOT

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM2.5, KUT2.5, KUT4, KST4UWS, KUT6, KUT10, ET4, ET6, ET10, KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KATM3C, KATM4C, KATM5C-15, KBTM6C, KATM3E, KATM4E, KBTM4E, KBTM5E, OAT2.5, OAT6, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK3, FDBK8, FDBK1X4, FDBK1X8, DFBK12, DBK2.5, DBD16, DBD35, DBM4-10W, KABTM4	Elmex Electric	KBXF	100	18.00	On Request
KUT16, KUT25, KUT35, ET16, ET35, KULT4, KULT6, KULT1, KUDF4, KUDF4D, KUDF4A, KUDDF4, KUDDF4D, KUDDF4A, KUF10, KUF10D, KUF10A, KUFH4, KUFH4D, KUFH4A, KULTD4, KULTD4WS, KBT100, OAT6T, DBK150/16-1X2, DBK150/16-1X4, DBK150/25-1X2, DBK150/25-1X4, DBK150/M6C-1X2, DBK150/M6C-1X4, KPCH4, KUDT6, KUPDS6	Elmex Electric	KBZF	100	22.00	On Request
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, ETN4, ETN6, ETN10, KUT4-1X2	Elmex Electric	KNBF2.5/10	100	22.00	On Request
DPBB50/50CN, DPBB70/70CN	Elmex Electric	BPN70	20	32.00	On Request
DPBB120/120CN	Elmex Electric	BPN120	20	37.50	On Request
DPBB185N, DPBB240	Elmex Electric	BPA185/240	20	50.00	On Request

## PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
CST2.5, CST6, CST10, CST2.5WS	Elmex Controls	BPX	100	18.00	On Request
CST16	Elmex Controls	BPY	100	25.00	On Request
CST35	Elmex Controls	BPZ	100	35.00	On Request
CBT110, CBT110T	Elmex Controls	BPA110	20	36.00	On Request
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA17/25	20	40.00	On Request
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA25/30	20	52.00	On Request
CUT4, CUT6, CUT10	Elmex Controls	CBX	20	25.00	On Request
<b>Suitable For Barrier Plates For Universal Mounted Terminal Blocks</b>					
CSTM2.5, CST2.5, CST2.5WS, CST6, CST10, CST6WS, CUTM2.5, CUT4, CUT6, CUT10	Elmex Controls	KBXF(Kh)	100	22.00	On Request
CST16, CST25, CSLT1	Elmex Controls	KBZF(Kh)	100	27.00	On Request

# Price List for Accessories



## INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
<b>Removable Shorting Links - 2 Ways</b>					
KUT4, KST4UWS, CST2.5, CST2.5WS, CUT4	EC/EE	RSL2.5	50	4.50	
KUT6, KST6WS, CST6, CUT6, CST6WS	EC/EE	RSL6	50	4.50	
KUT10, CST10, CUT10	EC/EE	RSL10	50	5.50	
KUT16, CST16	EC/EE	RSL16	50	7.50	
KUT25, CST25	EC/EE	RSL25	50	12.00	
CST35	Elmex Controls	RSL35	50	15.00	
KUT35	Elmex Electric	RSL35K	50	15.00	
KULT1, CSLT1	EC/EE	RSL1L	50	22.00	
<b>Long Stud With Screws for Removable Shorting Links</b>					
KUT4, KUT6, KST4UWS, KST6WS, CST2.5, CST2.5WS, CUT4, CUT6, CST6, CST6WS	EC/EE	LSR2.5-6	50	8.50	
KUT10, KUT16, KUT25, CST10, CUT10, CST16	EC/EE	LSR10-16	50	9.50	
CST25	Elmex Controls	LSR25	50	14.00	
CST35	Elmex Controls	LSR35	50	20.00	
KUT35	Elmex Electric	LSR35K	50	18.00	
KULT1, CSLT1	EC/EE	LSR1L	50	25.00	
KUT2.5N	Elmex Electric	LSR2.5N	50	6.00	
KUT4N, KUT4-1X2, KUT4-2X2, KUT6N	Elmex Electric	LSR6N	50	6.50	

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
<b>Cross Connection Link Assembly for Permanent Shorting 2 way with Captive Screws, Sleeves and Washer</b>					
KUTM2.5	Elmex Electric	CCLK2.5	50	13.00	
KUT2.5	Elmex Electric	CCLM2.5K	50	13.00	
CSTM2.5, CUTM2.5	Elmex Controls	CCLM2.5	50	15.00	
SUT1.5	Elmex Electric	CCLA1.5	50	20.00	
KUT4, KST4UWS, CST2.5, CST2.5WS, CUT4	EC/EE	CCLA2.5	50	14.00	
KUT6, KUT6N, KST6WS, CST6, CUT6, CST6WS	EC/EE	CCLA6/6N	50	16.00	
KUT10, CST10, CUT10, KUT10N	EC/EE	CCLA10/10N	50	17.50	
KUT16, CST16	EC/EE	CCLA16	50	19.50	
KUT25, CST25	EC/EE	CCLA25	50	22.00	
CST35	Elmex Controls	CCLA35	50	26.00	
KUT35	Elmex Electric	CCLA35K	50	26.00	
KUT50	Elmex Electric	CCLA50	50	150.00	
KU2D4, KUDD4, SUT4, PET4, CUDD4	EC/EE	CCLADD	50	13.00	
DU3D4, DUSD4	Elmex Electric	CCLATD	50	15.00	
KULT4	Elmex Electric	CCLAK4	50	15.00	
KULT6	Elmex Electric	CCLAK6	50	17.00	
CSLT1	Elmex Controls	CCLA1L	50	22.00	
KULT1	Elmex Electric	CCLA1LK	50	22.00	
KUT2.5N	Elmex Electric	CCLK2.5/CCLM2.5N	50	13.00	
KUT4N, KUT4-1X2, KUT4-2X2	Elmex Electric	CCLA4N	50	14.00	
KUDD4N	Elmex Electric	CCLADDN	50	17.00	

## INTER CONNECTING ACCESSORIES

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
<b>Comb Type Shorting Links with Insulation -2 Ways for</b>					
KUTM2.5, KUT2.5N	Elmex Electric	SLC2.5N	50	19.00	
KUT2.5, DU3D4, DUSD4, KULT4, KUDD4N, KULTD4, KULTD4WS, KPCH4, KUDD4-2X2, KU2D4, KU2D4S, KUDD4, PET4, CSTM2.5, CUTM2.5	EC/EE	SLC4N	50	19.00	
KUT4, KST4UWS, CST2.5, CST2.5WS, CUT4	EC/EE	SLC2.5	50	19.00	
CET4, NET4	Elmex Electric	SLE	50	15.00	
KUT6, KST6WS, KULT6, KUT6N, KUTSD6, KUTD10, KUPDS6, CST6, CUT6, CST6WS, CSTD6	EC/EE	SLC6	50	22.00	
KUT10, CST10, CUT10	EC/EE	SLC10N	50	26.00	
KATM3, KATM3E, KABTM3L	Elmex Electric	KSL3	50	24.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4, KABTM5	Elmex Electric	KSL4	50	24.00	
KBTM5-15, KBTM5E, CBTM4, CBTM5	EC/EE	KSL5	50	25.00	
KBTM6, CBTM6	EC/EE	KSL6/BSL6	50	26.00	
OAT25	Elmex Electric	KSL7	50	30.00	
OAT2.5	Elmex Electric	OSL2.5	50	20.00	
OAT6, OAT6T, OAT6DTS, OAT6DTS-2W	Elmex Electric	OSL6/OSL6R	50	24.00/28.50	
OAT6DTS-2WSL	Elmex Electric	OSLD6	50	38.00	
OAT10DTS	Elmex Electric	OSLD10	50	50.00	
KUDF4, KUDF4AD, KUDDF4, KUDDF4AD	Elmex Electric	UFSL	50	22.00	
UBDF4, UBDF4D, UBDF4A	Elmex Electric	CLUF	50	22.00	
KLTDM4	Elmex Electric	KDSL4	50	24.00	

# Price List for Accessories



## INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
<b>Comb Type Shorting Links with Insulation - 2 Ways for</b>					
KULTD6	Elmex Electric	KSLD6	50	22.00	
KUTD6	Elmex Electric	SLC6SL	50	23.00	
DTB35-10	Elmex Electric	SLC17.5	50	50.00	
KULTD6, KUPTD6, KUPTD6S	Elmex Electric	SLD6	50	24.00	
CATM3	Elmex Controls	ASL1	50	25.00	
CATM4, CATM5, CATDM4, CLTDM4, CABTM4	Elmex Controls	ADSL/ADSLR	50	24.00/25.00	
<b>Insulated Push-In Type Shorting Link - 2 Ways for</b>					
DST2.5, DCT2.5-1X2, DST2.5-1X2, DST2.5-2X2, SCT2.5, SCT2.5MC	Elmex Electric	SSL2.5	100	9.50	
DST4, SCT4, DCF4, DCF4D, DCF4A, DSDD2.5, DCDT4, DS3L2.5	Elmex Electric	SSL4	100	16.00	
DST6, SCT6, DSCT6	Elmex Electric	SSL6	100	25.00	
DST10, SCT10	Elmex Electric	SSL10	100	35.00	
DST16	Elmex Electric	SSL16	100	60.00	
DST35	Elmex Electric	SSL35	100	75.00	
MCT1.5	Elmex Electric	MSL1.5	100	13.00	
MCT2.5, MCT2.5P4, MCT2.5MC	Elmex Electric	MSL2.5	100	13.50	
MCT4, MCT4P4	Elmex Electric	MSL4	100	18.00	
Link to use KUDF4 and KUDDF4 as Disconnecting Terminal	Elmex Electric	DL4	100	35.00	

Available upto 10 ways (No. of ways Required = Rate for 2 ways / 2 x No. of ways Required)

## PROTECTION COVER

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
CST2.5, CST6, CST10, CUT4, CUT6, CUT10, KUT4, KUT6, KUT10	Elmex Controls	PCST (300mm)	-	110.00	
CATM3, CATM4, CBTM4, CBTM5, CBTM6, CABTM4	Elmex Controls	PCC3 (300mm)	-	115.00	
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4	Elmex Electric	PCC3K (300mm)	-	115.00	
CBT110, CBT110T (Covers One Terminal Block)	Elmex Controls	PCP110	-	40.00	
CBT110, CBT110T (Covers Two Terminal Block)	Elmex Controls	PCP110L	-	42.00	
DPBB50/50CN, DPBB70/70CN, DPBB120/120CN (Covers One Terminal Block)	Elmex Electric	PCP120	-	40.00	
CBT170, CBT170T (Covers One Terminal Block)	Elmex Controls	PCP170	-	50.00	
CBT170, CBT170T (Covers Two Terminal Block)	Elmex Controls	PCP170L	-	55.00	
CBT250, CBT250T, CBT300, CBT300T (Covers One Terminal Block)	Elmex Controls	PCP250	-	58.00	
CBT250, CBT250T, CBT300, CBT300T (Covers Two Terminal Block)	Elmex Controls	PCP250/30L	-	70.00	
KUTM2.5, KUT2.5, KUT4, KST4UWS, KUT6, KST6WS, KUT10, KUT10, KUT16, KUT25, KUT35, ET4, ET6, ET10, ET16, ET35, KU2D4, KULT4, KULT6, KULT1, KUT2.5N, KUT4N, KUT6N, KUT10N, OAT2.5, OAT6, OAT6DTS, OAT6DTS-2W, KULTD4, KULTD4WS, KUDD4CC1, KUDD4CC2, KUDD4D1, KUDD4R, KUDD4CA1, KUDD4CA2, KUDD4-2X2, KUDD4MOV, UBT2.5, UBT4, UBT6, UBT10, EBT2.5, EBT4, EBT6, EBT4TWIN, CSTM2.5, CST2.5, CST6, CST10, CST16, CST25, CST2.5WS, CST6WS, CSLT1, ETN4, ETN6, ETN10, KUT4-1X2, KPCH4, KUPDS6	EC/EE	PCK3	-	140.00	
CATDM4, CLTDM4, KLDM4	EC/EE	PCD3(300mm)	-	175.00	
CATM3 (Covers Two Terminal Block)	Elmex Controls	PCCM20	-	15.00	
CATM3 (Covers Three Terminal Block), CBTM4, CBTM5 (Covers One Terminal Block)	Elmex Controls	PCCM30	-	19.00	
CATM4, CATM5, CABTM4 (Covers Two Terminal Block)	Elmex Controls	PCCM26	-	16.00	
CATM4, CATM5 (Covers Three Terminal Block)	Elmex Controls	PCCM39	-	21.00	
CBTM4, CBTM5, CBTM5-15 (Covers Three Terminal Block)	Elmex Controls	PCCM45K	-	21.00	
CBTM6 (Covers Three Terminal Block)	Elmex Controls	PCCM60	-	23.00	
CATDM4, CLTDM4 (Covers Two Terminal Block)	Elmex Controls	PCDM26	-	19.00	
CATDM4, CLTDM4 (Covers Three Terminal Block)	Elmex Controls	PCDM39	-	28.00	
KATM3, KATM3E (Covers Two Terminal Block)	Elmex Electric	PCCM17K	-	16.00	
KBTM6 (Covers Three Terminal Block)	Elmex Electric	PCCM51K	-	24.00	
KBT100, CBT100 (Covers Two Terminal Block)	EC/EE	PCCM52K	-	22.00	
KBT100, CBT100 (Covers Three Terminal Block)	EC/EE	PCCM78K	-	35.00	
CBTM6 (Covers Two Terminal Block)	Elmex Controls	PCCM40	-	22.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4 (Covers Two Terminal Block)	Elmex Electric	PCCM26K	-	16.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KBTM5E KABTM4 (Covers Three Terminal Block)	Elmex Electric	PCCM39K	-	21.00	

## Note

- The Standard colour of Polyamide 66 Terminals and Accessories will be Grey. The non-standard colour will be Red, Yellow, Blue, Black. Any colour other than these shall be quoted against specific request.
- The Purchase Order for non-standard colour items other than Terminals KUT2.5 to KUT35 and all Stud Type Terminals will be subject to Minimum Order Quantity. Please Contact us for MOQ.
- Standard colour for Melamine Terminals and accessories is Khakhi. The non-standard colour will be Red, Yellow, Blue, Black Only.
- Standard colour of PUT2.5 is Grey. All other colour (Red, Yellow, Blue, Black etc.) shall be quoted against specific request.
- Please contact us for the prices of channels for lengths other than mentioned in the price list.

## Terms & Conditions

1. Price : Ex-works Vadodara/ Por/ Itola.
2. Packing & Forwarding : Inclusive of standard packing.
3. GST : Extra as applicable.
4. Freight : To be borne by customer.
5. Payment : 100% advance or as agreed.
6. Dispatch : By Road/Rail/Courier or on request by Air.
7. Insurance : If desired by customer, at his cost.
8. Arbitration : All disputes arising in connection with the supply shall be under the rule of conciliation and arbitration of the international Chamber of commerce by one or more Arbitrators appointed in accordance with the rules.
9. Place of jurisdiction : The competent place of jurisdiction will be Vadodara, Gujarat, India.
10. Shortages/Damage/Loss in Transit : Our liability for any shortage, damage or loss in transit for any reason whatsoever shall cease after the consignment is handed over to the transporter & LR/Railway Receipt is obtained by us. Claims, if any, should be referred by the customer to the insurance company.

## Special Clauses

1. Deduction : You/Your bankers will not deduct any amount, whatsoever, from our bills without our prior written consent.
2. Price Variation : We reserve the rights to revise our Price list as and when required without any prior notice.



**Elmex Controls Pvt. Ltd. | Elmex Electric Pvt. Ltd.**

12, GIDC Estate, Makarpura, Vadodara -390010, Gujarat, India

☎ 0265-2642021 / 23

✉ marketing@elmex.net

🌐 www.elmex.net

Elmex Pricelist June 2023

 ElmexControls

 ElmexControls

 ElmexControls

 ElmexControls

 ElmexControls

